



PAPILLON AUSTRALIA PTY LTD. FIRE PRODUCTS CATALOGUE

This catalogue displays the full range of fire fighting products distributed by Papillon Australia Pty Ltd. established in 1989, Papillon Australia Pty Ltd. has been a major supplier to the Fire Fighting Industry for 23 years. Papillon Australia Pty Ltd. is an ISO9001 accredited company. All products are offered with the benefit of Papillon Australia Pty Ltd. warranty and all subject to the following conditions.

PAPILLON AUSTRALIA PTY LTD.

1. Shall not be liable for any loss or damage either direct, indirect or consequential arising out of any defect.
2. Will replace any product found to be defective due to manufacturing defect within 12 months from purchase date, or repair if possible.
3. All goods are sold under Papillon Australia Pty Ltd. general conditions of sale which may be subject to change from time to time.
4. Reserve the right to change pricing, modifying design and specification, withdraw and introduce new products.

No part of this catalogue may be reproduced, copied or transmitted in any form, by any means without prior written permission from Papillon Australia Pty Ltd.



PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 601 ACN: 060 770 64

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



CONTENTS

Pages

Boosters & Fittings

62-66

Bottom Entry Booster

62

Rear/Back Entry Booster

62

Bottom Entry Quad Booster

62

Single Booster

63

Roll Groove Brazing Adaptors - Copper Alloy

63

Ductile Iron Fittings

63-66

Branch Pipes

74

Aluminium

74

Gun Metal

74

Plastic

74

Cabinets

50-55

Fire Extinguisher Front Glass Cabinets

50

Fire Extinguisher Acrylic Front Door Cabinets

50

Night Latch Cabinets

50

Emergency Information Cabinets

51

Fire Hose Reel, Hydrant Cabinets

53

Essential Services Cabinets

51

Fire Equipment Maintenance records cabinets

52

Quad Booster & FH cabinets

53

Dual Booster & FH Cabinets

53

Cabinet Accessories

54

Hose Reel Stands

55

Fire Buckets

55

Couplings, Adaptors, Caps & Plugs

68-86

Couplings - BSP, CFA, MFB, NSW, QRT, SA

68-69

BI Coupling, Adaptors, Caps & Directors

76-80

External Lug Couplings & Adaptors

81-82

Storz Couplings & Adaptors

83-86

Adaptors - Suitable for All States

70-73

Caps & Plugs

75

Dividers, Breechings & Wyes

67

Uncontrolled Wye Dividers - Aluminium

67

Controlled Wye Dividers - Aluminium

67

Drip Torches

93

Red & Green (We can make other colours on request depending on quantity.)



PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 601 ACN: 060 770 64

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



CONTENTS

	Pages
Fire Extinguisher Services & Spare Parts	30-46
Bags UV Coated & Red Rexine	44
Wall Brackets	42-43
Handles	40
Horns	41
Dip Tubes & Filler Tubes	33
Maintenance Date Tags & Pouches	30
Pull Tags	30
O Rings	31
Safety Pins & Spring Pins	31
Number Punches	30
Anti-Tamper Seals	31
Pressure Gauges	32
Retainer Clips & Hose Clips	33
Hoses- Fire Extinguisher	34-35
Spindles (Valve Stem), Schrader Valve Accessories	36-39
Hydrostatic Test Adaptors	45-46
Fire Hoses	95-97
Fire Hose Reel, Nozzles & Accessories	58-61
Hose Reel	58
Hose Reel Covers High Quality Red Rexine	61
Hose Reel Attachments	60-61
Nozzles	59
Hydrant Valves	56-57
Hydrant Valve Accessories	57
Stainless Steel - Oblique Outlet CFA/MFB/BSP	56
Stainless Steel - Right Angled Outlet NSW/SA/QRT/BSP/BI	56
Brass - Oblique Outlet CFA/MFB/BSP	56
Brass-Right Angled Outlet NSW/SA/QRT/BSP/BI	57
Jerry Cans - Metal	94
20 Litres	94
10 Litres	94
Knapsacks	94
9 Litres	94
16 Litres	94

CONTENTS

Pages

Nipples, Aluminium Male	87
Rakehoes & Stowaway Break Apart Tools	92
Signs	01-29
Fire Extinguisher Signs	01
Off Wall Signs	02
Fire Signs - Medium	03-09
Fire Signs - Large	10-11
Fire Signs - Small	12
Exit Signs	13
Luminous - Glow in Dark Signs	14
Offences Related to Fire Exits / Fire Stairs	15
Door Signs	16
Know Your Extinguisher	15
Miscellaneous Signs	17-18
Clear Vinyl Stickers & Vinyl Cut letters	19
Aluminium Acid Etched Paint Filled Signs	20
Hazchem Diamonds	21
Hazchem Signs	21
Fire Extinguisher Labels	22
Tags	23-27
Pipe Markers & Code Tapes	28-29
Spanners	88
Standpipes	91
Strainers, Caps & Fittings	90
Vehicle Mounting Brackets	47-49
Mild Steel Zinc Plated	47
Mild Steel Gold Passivated	47
Aluminium Clamping Powder coated	47
Mild Steel Powder Coated	47-48
Wire Clamping Mild Steel Passivated	48
Lever Type	49
Web Bracket	49
Breathing Apparatus Brackets	49
Washers	89



PEXT-XS
(Pic only)
100 x 100mm
S/Adh sticker



PEXT-XXS
100 x 75mm
S/Adh sticker



PEXT-S
150x225mm
Plas -Thin/Thick
S/Adh,Galvanised
Metal Powder coated



PEXT-M
225x340mm
Plas,S/Adh,Reflective
Galvanised Metal
Powder coated



PEXT-L
300x400mm
Plas,Galvanised
Metal Powder
coated



PEXT-XL
600 x 450mm
Plas,Galvanised
Metal Powder
coated



PFB-Plas
150x225mm
Plas, S/Adh,Galvanised
Metal Powder coated



PD26
150x225mm
Plas,S/Adh,
Galvanised Metal
Powder coated
(Available in reflective)



PD27
150 x 225mm
Plas, S/Adh



PD90
150 x 225mm
Plas, S/Adh



PD91
150 x 225mm
Plas, S/Adh



PD92
150x225mm
Plas, S/Adh



PD93
190x190mm
Plas



PD94
150x225mm
Plas,S/Adh



PD95
150x225mm
Plas,S/Adh



PD96
480mm dia Floor
Sign,Polycarbonate

Identification Signs

All Identification signs are available in Galvanised metal fully powder coated and printed, Plastic and S/Adhesive sticker. (Please specify the material)



PD6
190x190mm



PD6A
190 x 260mm



PD7
190x190mm



PD7A
190 x 260mm



PD9
190x190mm



PD9A
190x260mm



PD10
190x190mm



PD10A
190x260mm



PD11
190x190mm
(also available in reflective)



PD11A
190x260mm



PD12
190x190mm



PD13
190x190mm



PD14
190x190mm



PD15
190x190mm



PD16
190x190mm



PD17
190x190mm



PD18
190x190mm




PD19
190x190mm

90° Off Wall Signs Double Sided

Papillon

90° off Wall Signs are available in thick Plastic.
Contact us for Galvanised metal powder coated and printed or Reflective Requirements.

							
PW16 150 x 225mm	PW17 150 x 225mm	PW18 150 x 225mm	PW18A 150 x 225mm	PW19 150 x 225mm 290X200mm <small>(Also available in Galvanised metal powder coated, and reflective and reflective)</small>	PW19A 150X225mm	PW20 150x 225mm	PW20A 150 x 225mm
							
PW21 150x225mm	PW22 150x225mm	PW23 150x225mm	PW24 150x225mm 290x200mm <small>(Also available in Galvanised metal powder coated, and reflective material)</small>	PW25 150x225mm	PW26 150x225mm	PW27 150x225mm	PW28 150x225mm
							
PW29 150x225mm	PW30 150x225mm	PW30A 150x225mm	PW31 150x225mm	PW32(R) 150x225mm	PW32(L) 150x225mm	PW33 150x225mm	PW34 150x225mm
							
PW35 150x225mm	PW36 190x150mm	PW37 190x190mm	PW38 200x200mm	PW 18A 150x225mm	PW19A 150x225mm	PW20A 150x225mm	PW24A 150x225mm

180° Off Wall Signs Polypropylene

180° off Wall Signs are available in polypropylene
Contact us for Galvanized metal powder coated and printed or Reflective Requirements.

					
PW16-3D	PW18-3D	PW19-3D	PW22-3D	PW24-3D	PW31-3D

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 001 ACN: 080 770 04

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net

All signs below are available in Plastic, S/Adhesive and Galvanised metal fully powder coated and printed.



PM13
300x225mm
300x400mm
300x450mm



PM14
300x225mm



PM14 A
300x225mm



PM15
300x225mm



PM16
300x225mm
450x250mm



PM18
300x225mm



PM21
300x225mm



PM21A
300x225mm



PM26
300x225mm
300x400mm



PM27
300x225mm



PM27 A
300x225mm




PM28
300x225mm



PM29
300x225mm



PM30
300x225mm



PM30A
300x225mm



PM31
300x225mm



PM32
300x225mm



PM33
300x225mm



PM34
300x225mm



PM34A
200X100mm
300x225mm



PM35
300x225mm



PM36
300x225mm



PM37
300x225mm



PM38
300x225mm



PM39
300x225mm

All signs below are available in Plastic, S/Adhesive and Galvanised metal fully powder coated and printed.



PM40
300x225mm



PM40A
300x225mm



PM68
300x225mm



PM41
300x225mm



PM42
300x225mm



PM42A
190x190mm



PM42B
195x125mm
(Also Available in Aluminum acid etched paint filled)



PM43
300x225mm
300x100mm



PM44
300x225mm



PM45
300x225mm
100x250mm



PM46
300x225mm



PM46A
300x225mm



PM47
300x225mm



PM47A
300x450mm



PM48
300x225mm



PM49
300x225mm



PM49A
300x225mm



PM74
300x225mm



PM75
300x225mm



PM76
300x225mm



PM77
300x225mm



PM77A
300x225mm



PM78
300x225mm



PM79
300x225mm



PM80
300x225mm

All signs below are available in Plastic, S/Adhesive and Galvanised metal fully powder coated and printed.



PM81
300x300mm




PM82
495x295mm




PM83
300x225mm



PM84
300x225mm



PM85
300x225mm



PM86
300x225mm



PM87
300x225mm



PM88
300x225mm



PM89
300x225mm



PM90
300x225mm



PM91
300x225mm
300 x 200mm (Reflective)



PM92
300x225mm
400x300mm



PM93
300x225mm
(also available in reflective)




PM94
300x225mm



PM95
300x225mm



PM96
300x225mm



PM97
300x225mm




PM98
300x225mm



PM99
300x225mm



PM100
300x225mm



PM101
300x225mm



PM102
300x225mm



PM105
300x225mm



PM106
300x225mm



PM109
300x100mm

All signs below are available in Plastic, S/Adhesive and Galvanised metal fully powder coated and printed.



PM110
300X225mm



PM111
400x200mm

BOOSTER PRESSURE 1150kPa
TEST PRESSURE 1700kPa

PM112
300x100mm

WORKING PRESSURE 1200 kPa
SYSTEM TESTED TO 1700 kPa

PM116
300x100mm

WORKING PRESSURE kPa
SYSTEM TESTED TO kPa

PM116B
300x100mm

BOOSTER PRESSURE 1000kPa
TEST PRESSURE 1700kPa

PM112A
300x225mm

SYSTEM TESTED TO 1700 kPa
WORKING PRESSURE 1200 kPa

PM116A
300x100mm

SYSTEM TESTED TO kPa
WORKING PRESSURE kPa

PM116C
300x100mm



PM117
300x225mm
250x90mm



PM118
300x225mm
450x300mm



PM119
355 x 180mm



PM120
300 x 225
(also available in reflective material)



PM121
300x225mm



PM122
300x225mm



PM123
300x225mm



PM124
300x225mm
450X300mm



PM125
300x225mm



PM125A
300x225mm



PM126
300X225mm



PM127
450x200mm



PM128
295x295mm



PM129
300x225mm



PM130
300x225mm



PM131
300x225mm



PM132
300x225mm



PM133
300x225mm



PM134
300x225mm



PM135
300x225mm

All signs below are available in Plastic, S/Adhesive and Galvanised metal fully powder coated and printed.



PM136
300x225mm



PM137
300x225mm



PM138
300x225mm



PM139
300x225mm



PM140
410 x 320mm
(Letter Height 80mm)



PM141
140 x 350mm



PM142
300x225mm



PM143
300x225mm



PM144
300x225mm



PM145
300x225mm



PM146
300x225mm



PM147
300x225mm



PM148
300x225mm



PM149
300x225mm



PM150
300x225mm



PM151
300x225mm




PM152
300x225mm



PM153
250x250mm



PM154
300x225mm



PM155
300x225mm
450x300mm



PM156
300x225mm



PM157
300x225mm



PM158
300x225mm



PM159
300x225mm



PM160
300x225mm

All signs below are available in Plastic, S/Adhesive and Galvanised metal fully powder coated and printed.

<p>PM161 300x225mm</p>	<p>PM162 300x225mm</p>	<p>PM163 300x225mm</p>	<p>PM164 300x225mm</p>	<p>PM165 300x225mm</p>
<p>PM166 325x300mm</p>	<p>PM167 300x100mm</p>	<p>PM168 300x225mm</p>	<p>PM169 300x225 & 370x370mm (Alum acid etched paint filled)</p>	<p>PM 169A 300x225mm</p>
<p>PM 169B 300x225mm</p>	<p>PM 169C 300x225mm</p>	<p>PM170 300x225mm</p>	<p>PM171 300x225mm</p>	<p>PM172 300x225mm</p>
<p>PM173 300x225mm</p>	<p>PM174 300x225mm</p>	<p>PM175 300x225mm</p>	<p>PM176 300x225mm</p>	<p>PM177 300x225mm</p>
<p>PM178 300x225mm</p>	<p>PM179 300x225mm</p>	<p>PM180 100x100mm</p>	<p>PM181 300x225mm</p>	<p>PM182 300x225mm</p>
<p>PM183 300x225mm</p>	<p>PM184 300x225mm</p>	<p>PM185 300x225mm</p>	<p>PM186 300x225mm</p>	<p>PM187 300x225mm</p>

All signs below are available in Plastic, S/Adhesive and Galvanised metal fully powder coated and printed.

**THREE LENGTHS
OF HOSE
REQUIRED**

PM188
300x225mm

3 LENGTHS OF HOSE

4 LENGTHS OF HOSE

PM189
300x100mm

**HOSE REEL
CONNECTED TO
SPRINKLER SYSTEM**

PM190
250x100mm

**REPORT ALL
EXTINGUISHER
USAGE TO
SUPERVISOR**

PM191
300x225mm

**LOCAL FIRE
ALARM ONLY
IN EVENT OF FIRE
DIAL 000**

PM192
300x225mm

**DRENCHER
BOOSTER**

PM193
300x225mm

**DRENCHER
PUMP**

PM194
300x225mm

**DRENCHER
PUMP
INSIDE**

PM195
300x225mm

**CFA
BOOSTER
POINT**

PM196
300x225mm

**TO BOOST
SYSTEM
ON
PUMP FAILURE
CLOSE VALVES
3 AND 4**

PM197
300x225mm

WARNING
THIS BOOSTER IS CONNECTED
IN SERIES (RELAY) WITH THE
FIXED ON-SITE FIRE PUMP
WHICH MAY BE RUNNING.
THE GAUGE SHOWS THE TRUE
BOOST PRESSURE AT THE
FIXED ON-SITE PUMP
DISCHARGE

PM198
200x220mm
600x450mm

**WARNING
PRESSURE MAY
BE EXCESSIVE
OPEN HYDRANT
WITH CAUTION**

PM199
300x225mm

**COMBINED
HYDRANT &
SPRINKLER BOOSTER**

PM200
300x225mm

**COMBINED SPRINKLER
& HYDRANT SYSTEM
WORKING PRESSURE 1240 kPa
TEST PRESSURE 1550 kPa**

PM201
300x225mm

**BOOSTER
CONNECTION**

PM202
300x225mm
300x450mm

**INTRUDER ALARM
INSTALLED IN
THESE PREMISES**

PM203
300x225mm

**INTRUDER ALARM
INSTALLED IN
THIS BUILDING**

PM204
300x225mm

**INSTALLATION
PRESSURE
GAUGE**

PM205
300x225mm

**FIRE & DOMESTIC
ISOLATION
VALVE**

PM206
300x225mm

**QUICK
FILL
VALVE**

PM207
300x225mm

**TEST PRESSURE
1800 kPa
SAFE WORKING PRESSURE
1200 kPa**

PM208
300x225mm

**EWIS
PANEL**

PM209
300x225mm

**BRIGADE
SUCTION**

PM210
300x225mm

**TANK
SUCTION**

PM211
300x225mm

**TANK
SUCTION
POINT**

PM212
150x150mm

**STORAGE
WATER
SUPPLY**

PM213
300x225mm

**DO NOT RIDE ON
MOVING
PLATFORM**

PM214
300x225mm

**FEED
HYDRANT**

PM215
300x100mm

**HIGH RISE WORKING PRESSURE 1590 kPa
TEST PRESSURE 1800 kPa**

PM217
400x100mm

SUCTION POINT

PM216
300x100mm

**LOW RISE WORKING PRESSURE 1070kPa
TEST PRESSURE 1700kPa**

PM218
400x100 mm

**BUILDING
EMERGENCY
ALARM**

PM219
190x150mm

**FIRE WATER
25000
KILO LTR**

PM220
300x 225mm

**MAX INLET
PRESSURE
1033 kPa**

PM221
300x225mm

**SITE
EVACUATION
BUTTON**

PM222
300x225mm

**HIGH RISE
BOOSTER
PRESSURE**

PM223
300x225mm

**LOW RISE
BOOSTER
PRESSURE**

PM224
300x225mm

**ELECTRICAL
SERVICES**

PM225
300x225mm

**WATER
SERVICES**

PM226
300x225mm

**GAS
SERVICES**

PM227
300x225mm

All signs below are available in Plastic and Galvanised metal fully powder coated and printed.



PL16
600x450mm



PL21
600x450mm



PL26
600x450mm




PL27A
600x450mm




PL28
600x450mm



PL29
600x450mm



PL30
600x450mm



PL32
600x450mm



PL33
600x450mm



PL33A
600x450mm



PL34
600x450mm



PL35
600x450mm



PL35A
600x450mm



PL36
600x450mm



PL37
600x450mm



PL37A
600x450mm



PL38
600x450mm



PL39
600x450mm



PL40
600x450mm



PL40A
600 x 450mm



PL41
600x450mm



PL41A
900x600mm



PL42
600x450mm



PL43
600x450mm

All signs below are available in Plastic and Galvanised metal fully powder coated and printed.

HYDRANT BOOSTER CONNECTION

PL44
600x200mm

COMBINED SPRINKLER & HYDRANT BOOSTER

PL45
600x200mm

HYDRANT BOOSTER PUMP

PL46
600x125mm

**FIRE EXTINGUISHER
FIRE HOSE REEL
FIRE HYDRANT**

PL47
600x450mm

FIRE BRIGADE BOOSTER CONNECTION

PL48
600x125mm

**FIRE HYDRANT TANK
315,000 LITRES**

PL49
600x450mm

**FIRE HYDRANT TANK
500,000 LITRES**

PL50
600x450mm


**FIRE WATER
TANK CAPACITY
480,000 LITRES**

PL51
600x450mm

**FIRE SERVICE
ISOLATION
VALVE**

PL52
600x450mm

**FIRE
HOSE
REEL**



PL53
600x450mm



PL54
600x450mm

**HYDRANT
PUMP
INSIDE**

PL56
600x450mm

**HYDRANT
PUMP**

PL57
600x450mm

**HYDRANT
SUCTION
CONNECTION**

PL58
600x450mm

**SPRINKLER &
HYDRANT
PUMP ROOM**

PL59
600x450mm

**SPRINKLER
PUMP
ROOM**

PL60
600x450mm

**SPRINKLER
VALVE ROOM
FIRE INDICATOR
PANEL**

PL61
600x450mm

**DELUGE
FIRE HOSE
CONNECTION**

PL62
600x450mm

**BASEMENT
ONLY
NO EXIT**

PL63
600x450mm



All Signs below are available in Plastic and Self Adhesive.



PS21
400x100mm



PS21A
400x100mm



PS22
400x100mm



PS24
400x100mm



PS25
400x100mm



PS26
400x100mm



PS27
400x100mm



PS27A
400x100mm



PS28
400x100mm



PS29
400x100mm



PS30
400x100mm



PS31
400x100mm



PS31A
400x100mm



PS32
400x100mm



PS33
400x100mm



PS34
400x100mm



PS38
400x100mm



PS39
400x100mm



PS40
400x100mm



PS44
400x100mm



PS45
400x100mm



PS46
400x100mm



PS47
400x100mm



PS48
400x100mm



PS49
400x100mm



PS50
400x100mm



PS51
400x100mm



PS51A
400x100mm



PS52
400x100mm



PS54
400x100mm



PS55
400x100mm



PS56
400x100mm



PS57
400x100mm



PS58
400x100mm



PS59
400x100mm



PS60
400x100mm



PS158
400x100mm



PS159
400x100mm



PS160
400x100mm



PS161
400x100mm



PS162
400x100mm



PS163
400x100mm



PS164
400x100mm



PS165
400x100mm



PS166
400x100mm

All Signs below are available in Plastic and Self Adhesive

 PS35 400x100mm	 PS35 -Q 400x100mm	 PS36 400x100 & 450x150mm	 PS36 -Q 400x100mm	 PS37 400x100 & 450x150mm			
 PS37 -Q 400x100mm	 PS42 400x100mm	 PS42 -Q 400x100mm	 PS41A 400x100mm	 PS41B 400x100mm			
 PS41C 400x100mm	 PS41D 400x100mm	 PS 43 400x100mm	 PS43 -Q 400x100mm	 PS53 400x100mm			
 PS150 400x100mm	 PS151 400x100mm	 PS152 400x100mm	 PS153 400x100mm	 PS154 400x100mm	 PS155 400x100mm	 PS156 400x100mm	 PS157 400x100mm
 PS167 400x50mm	 PM168 200x70mm	 PS169 400x100mm	 PS170 200x100mm	 PS171 300x100mm	 PS172 300x100mm		
 PS173 400x100mm	 PS174 345x180mm	 PS175 350x180mm	 PM176 350x180mm	 PM177 350x180mm	 PS178 340x180mm		
 PS179 340x180mm	 PS180 340x180mm	 PS181 700x250mm		 PS182 100x30mm	 PS183 300x225mm		
 PS184 300x225mm	 PS185 400x200mm		 PS186 180x180mm				

All Signs below are available in Plastic, Self Adhesive and Metal.

401 400x100 & 450x150mm 350x180mm	401-Q 400x100 & 450x150mm	402 400x100 & 450x150mm	402-Q 400x100 & 450x150mm	403 400x100 & 450x150mm
403-Q 400x100 & 450x150mm	404 400x100 & 450x150mm	404-Q 400x100 & 450x150mm	405 400x100 & 350x180mm	405-Q 400x100 & 450x150mm
406 400x100 & 450x150mm	406-Q 400x100 & 450x150mm	407 400x100mm	407-Q 400x100mm	408 450x150mm
409 450x150mm	410 400x100 & 450x150mm	411 400x100 & 450x150mm	412 180x180mm	413 150x150mm
415 350x180mm	416 180x180mm	417 180x180mm	418 180x180mm	419 350x180mm
421 350x180mm	422 350x180mm	423 350x180mm	424 350x180mm	425 350x180mm
426 350x180mm	427 350x180mm	428 350x180mm	429 200x200mm	430-Q 370x150mm
431 450x150mm	432 450x150mm	433 450x150mm	434 200x50mm	435 200x50mm

Luminous 90° Off Wall Signs

PW18A 150x225mm	PW19A 150x225mm	PW20A 150x225mm	PW24A 150x225mm

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 601 ACNC: 080 770 64

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net

Offence Related To Fire Exits/Fire Stairs



NOTICE OFFENCES RELATING TO FIRE EXITS

It is an offence under the Environmental Planning and Assessment Act 1979:

(a) to place anything in or near this fire exit that may obstruct persons moving to and from the exit; or

(b) to interfere with or obstruct the operation of any fire doors; or

(c) to remove, damage or otherwise interfere with this notice.

PENALTY: \$1,000

NOTICE OFFENCES RELATING TO FIRE EXITS

Local Government Act 1993
By virtue of section 655 of the Local Government Act 1993, it is an offence:

(a) to place anything in this exit which may impede the free passage of persons; or

(b) to interfere with or cause obstruction or impediment to the normal operation of the doors providing access to this exit; or

(c) to remove, damage or otherwise interfere with this notice.

PENALTY: \$1,000

NOTICE OFFENCES RELATING TO FIRE EXITS

It is an offence under the Environmental Planning and Assessment Act 1979:

(a) to place anything in or near this fire exit that may obstruct persons moving to and from the exit; or

(b) to interfere with or obstruct the operation of any fire doors; or

(c) to remove, damage or otherwise interfere with this notice.

PENALTY: \$1,000

NOTICE OFFENCES RELATING TO FIRE EXITS

Local Government Act 1993
By virtue of section 655 of the Local Government Act 1993, it is an offence:

(a) to place anything in this exit which may impede the free passage of persons; or

(b) to interfere with or cause obstruction or impediment to the normal operation of the doors providing access to this exit; or

(c) to remove, damage or otherwise interfere with this notice.

PENALTY: \$1,000

NOTICE OFFENCES RELATING TO FIRE EXITS

Local Government Act 1993
By virtue of section 655 of the Local Government Act 1993, it is an offence:

(a) to place anything in this exit which may impede the free passage of persons; or

(b) to interfere with or cause obstruction or impediment to the normal operation of the doors providing access to this exit; or

(c) to remove, damage or otherwise interfere with this notice.

PENALTY: \$1,000

NOTICE IT IS AN OFFENCE TO RECKLESSLY INTERFERE WITH OR MISUSE SAFETY EQUIPMENT OCCUPATION HEALTH SAFETY ACT 2001

NOTICE IT IS AN OFFENCE TO RECKLESSLY INTERFERE WITH OR MISUSE SAFETY EQUIPMENT OCCUPATION HEALTH SAFETY ACT 2001

NF-A
150 x 225mm
Plas, S/adh

NF-B
150 x 225mm
Plas,S/Adh

NF-C
150 x 225mm
Plas, S/Adh

NF-D
150 x 225mm
Plas, S/Adh

NF-D-A
150x225mm
Plas, S/Adh

NF-E
150x225mm
Plas, S/Adh

NF-F
150 x 225mm
Plas, S/Adh

OFFENCES RELATING TO FIRE EXITS

It is an offence under the Environmental Planning and Assessment Act 1979:

(a) to place anything in or near this fire exit that may obstruct persons moving to and from the exit; or

(b) to interfere with or obstruct the operation of any fire doors; or

(c) to remove, damage or otherwise interfere with this notice.

OFFENCES RELATING TO FIRE EXITS

It is an offence under the Environmental Planning and Assessment Act 1979:

(a) to place anything in or near this fire exit that may obstruct persons moving to and from the exit; or

(b) to interfere with or obstruct the operation of any fire doors; or

(c) to remove, damage or otherwise interfere with this notice.

OFFENCES RELATING TO FIRE EXITS

By virtue of regulations under the Environmental Planning and Assessment Act 1979, it is an offence -

(a) to place anything in this exit which may impede the free passage of persons; or

(b) to interfere with, or cause obstruction or impediment to, the operation of the doors providing access to this exit; or

(c) to remove, damage or otherwise interfere with this notice.

OFFENCES RELATING TO FIRE EXITS

By virtue of regulations under the Environmental Planning and Assessment Act 1979, it is an offence -

(a) to place anything in this exit which may impede the free passage of persons; or

(b) to interfere with, or cause obstruction or impediment to, the operation of the doors providing access to this exit; or

(c) to remove, damage or otherwise interfere with this notice.

OFFENCES RELATING TO FIRE EXITS

By virtue of the regulations under the Environmental Planning and Assessment Act 1979, it is an offence:

(a) to place anything in this exit that may impede the free passage of persons; or

(b) to interfere with or cause obstruction or impediment to the operation of the doors providing access to this exit; or

(c) to remove, damage or otherwise interfere with this notice.

NOTICE IT IS AN OFFENCE TO RECKLESSLY INTERFERE WITH OR MISUSE SAFETY EQUIPMENT OCCUPATION HEALTH SAFETY ACT 2004

NF-G
185 x185mm
Plas, S/Adh, Acrylic 3mm thick

NF-G-A
185x185mm
Plas, S/Adh

NF-H
185x185mm
Plas, S/Adh


NF-H-A
185x185mm
Plas, S/Adh

NF-H-B
150x225mm
Plas, S/Adh


NF-I
150x225mm
Plas, S/Adh

Know Your extinguisher

Front



Back



USE THE RIGHT FIRE EXTINGUISHER
CALL THE FIRE BRIGADE IMMEDIATELY

CLASS OF FIRE	A Ordinary Combustibles (wood, paper, plastics etc)	B Flammable and combustible liquids	C Flammable gases	(E) Flammable electrical equipment	F Frying cooking oils and fats
WOOD	YES	NO	NO	NO	NO
PAPER	YES	YES	NO	NO	YES
PLASTIC	YES	YES	NO	NO	YES
GLASS	YES	YES	YES	YES	NO
LIQUID	NO	YES	YES	YES	YES
GAS	NO	NO	YES	YES	YES
ELECTRICAL	YES	YES	NO	YES	NO

ELECTRICAL FIRES - Switch off power or disconnect battery IN ALL CASES - CALL THE FIRE BRIGADE

CAUTION - Ensure extinguisher is recharged immediately after use. SPECIAL DRY CHEMICAL.

USE THE RIGHT FIRE EXTINGUISHER
EXTINGUISHERS ARE APPROVED IMMEDIATELY

CLASS OF FIRE	A Ordinary Combustibles (wood, paper, plastics etc)	B Flammable and combustible liquids	C Flammable gases	(E) Flammable electrical equipment	F Frying cooking oils and fats
WOOD	YES	NO	NO	NO	NO
PAPER	YES	YES	NO	NO	YES
PLASTIC	YES	YES	NO	NO	YES
GLASS	YES	YES	YES	YES	NO
LIQUID	NO	YES	YES	YES	YES
GAS	NO	NO	YES	YES	YES
ELECTRICAL	YES	YES	NO	YES	NO

ELECTRICAL FIRES - Switch off power or disconnect battery IN ALL CASES - CALL THE FIRE BRIGADE

CAUTION - Ensure extinguisher is recharged immediately after use. SPECIAL DRY CHEMICAL.

PT 50 (Large)
630 x 480mm

PT 50 (Small)
430 x 240mm

Pocket Guide Blank(Sample Only) Pocket Guide will be printed with Company name & address in one colour

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 801 ACHN 060 770 84

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



2013

All Signs below are available in Plastic, S/Adhesive and Metal.

 PM50 380x140mm 210x110mm	 PM50-A 380x140 & 225x150MM Also available in Clear Vinyl Al.acid etched paint filled & Matt Mylar	 PM50-B 380x140mm	 PM50-C 380x140mm 225x150mm	 PM51 380x140 & 210x110mm Also Available in Matt Mylar	 PM51-A 380x140mm 210x110mm
 PM52 380x140mm 210x110mm	 PM52-A 380x140 & 225x110mm Also available in matt mylar	 PM52-B 380x140mm	 PM52-C (Glow in Dark) 380x140mm	 PM52-D (Glow in Dark) 380x140mm	 PM52-E 210x110mm
 PM53 380x140mm 225x110mm	 PM53-A 380x140mm	 PM53-B (Glow in Dark) 380x140mm	 PM53-C 380x140mm 210x 110mm	 PM53-D 380x140mm (Also Available in matt mylar)	 PM56 380x140 & 230x150mm (Also available in matt mylar)
 PM56-A 380x140mm 210x110mm	 PM57 225x95mm	 PM57-A 380 x 140, 210x110 & 450x150mm (brushed silver mylar)	 PM57-B (Glow in Dark) 380x140mm	 PM57-C (Glow in Dark) 380x140mm	 PM58 380x140mm 225x110mm
 PM58-A 380x80, 300x225, 600x450, 450x60mm (Al acid etched paint filled)	 PM59 225x110mm	 PM60 225x110mm	 PM61 250x110mm 150x115mm	 PM62 150x100mm	 PM63
 PM65 380x140mm	 PM66 380x140, 225x150mm (Also available in clear vinyl with black or silver lettering)	 PM66-A 210x110mm 300x100mm	 PM67 200x80mm 300x80mm	 PM67-A 380x140mm & 225x110mm (Also available in clear vinyl)	 PM68 200x110mm 300x225mm
 PM68-A 380x140 & 225x150mm (Also available in clear vinyl)	 PM69 300x225mm	 PM70 300x225mm	 PM71 300x225mm	 PM501 425x95mm	 PM502 550x150mm
 PM503 380x140mm	 PM504 380x140mm	 PM505 900x260mm (50mm letter height)	 PM506 400x100mm	 PM507 380x140mm	 PM508 380x140mm
 PM509 380x140mm	 PM510 755x65mm	 PM511 400x100mm	 PM512 450x150mm	 PM513 400x100mm	 PM514 600x150mm (Printed on mylar laminated on to plastic)
 PM515 600x150mm (Printed on mylar laminated on to plastic)	<small>OFFENCE RELATING TO FIRE EXITS It is an offence under the Environmental Planning and Assessment Act 1979 to place anything to or near the exit doorway which obstructs or impedes the use of the doorway or the passage of persons or goods through the doorway, or to place anything to or near the exit doorway which obstructs or impedes the use of the doorway, or to place anything to or near the exit doorway which obstructs or impedes the use of the doorway.</small>				

Pressure Test Stickers - Self Adhesive Aluminium Foil

We can print your company name on the pressure test stickers. Contact us for a quote!

PT-A-2.0MPA 50x30mm	PT-B-2.5MPA 50x30mm	PT-C-1MIN 40x40mm	PT-D-BLANK 50x50mm	PT-E-2MPA 50x50mm	PT-F-2.5MPA 50x50mm

PT47 105x50mm Plastic	PT48 190x90mm Plastic	PT51 225x90mm Plastic	PT52 70x70mm S/AdhVinyl	PT53 180mm dia S/Adh Vinyl	PT54 30x25mm Roll of 500	PT55 Roll of 500	PT56 Double Sequential number stickers 1 to 100 or 1 to 1000

PT57 50x50mm	PT58 100x100mm S/Adh Vinyl	PT59 150x150mm S/Adh Vinyl	PT60 125x125mm S/Adh Vinyl	PT61 100x100mm S/adhVinyl	PT62 200x50mm Plastic	PT63 150x100mm Plastic

PT64 210x150mm (Plastic) 140x70mm (S/Adh)	PT65 380x140mm S/Adh Vinyl	PT66- Water Point Alum.Double sided reflective Corflute Double Sided	PT67 115x25mm S/Adh Vinyl	PT68 115x25mm S/Adh Vinyl

PT69 100x50mm S/Adh Vinyl	PT70 150x200mm S/Adh Vinyl	PT71 110x80mm Plastic	PT71A 120x100mm Plastic	PT72 41x55mm S/Adh Vinyl	PT73 125x125mm Plastic

THIS VENT MUST REMAIN UNRESTRICTED TO PROVIDE VENTILATION WHEN LP GAS APPLIANCES ARE IN USE

PT74
100x60mm
S/Adh Vinyl

Penalties of up to \$10,000 apply for the illegal use of FIRE HOSE REELS

PT75
190x190mm
Plastic

EMERGENCY INFORMATION

PT76
285x125mm
S/Adh vinyl



PT77
100 x100mm
S/Adh vinyl

BY PERMIT ONLY

PT78
230x95mm
S/Adh,Plastic

KEY SAFE IS LOCATED ON LEFT HAND SIDE OUTSIDE OF ENTRY CANOPY

PT79
300x210mm
S/Adh vinyl

SORRY OUT OF ORDER WE REGRET ANY INCONVENIENCE

PT80
180x140mm
Metal

DIESEL FIRE PUMP EXHAUST

PT81
150x150mm
S/Adh Vinyl

LIFT SUMP SUCTION LINE

PT82
150x150mm
S/Adh vinyl

GREASE TRAP SUCTION POINT

PT83
150x150mm
Plastic

EMERGENCY STOP -- START PROCEDURE

TO MANUAL START -

- Ensure the crank isolate switch is in the auto position.
- Press either of the two green emergency start buttons.

TO MANUAL STOP -

- Ensure the crank isolate key switch is in the off position.
- Press the red stop button.
- Additional manual stop facility is located on the engine.

PT84
120x100mm
S/Adh vinyl

HYDRANT DIESEL PUMP RUN POWER FAIL

PT85
160x110mm
Plastic

HYDRANT ELECTRIC PUMP RUN POWER FAIL

PT86
160x110mm
Plastic

HYDRANT PUMP TEST LINE

PT87
225x110mm
Plastic

EMPTY

PT88
300x100mm
Plas,S/Adh,Metal

FULL

PT89
300x100mm
Plas,S/Adh,Metal

DO NOT ENTER FIRE ALARM ACTIVATED

PT90
300x75mm
Plastic

TO OPERATE

- 1 Lift handle and hold
- 2 Press trigger with thumb

PT91
70x15mm
S/Adh Vinyl
Rolls of 500



PT92
150x150mm
Metal



PT92-A
150x150mm
Metal



PT93
300x225mm
S/Adh Vinyl



PT94
300x225mm
Metal

DOOR LOCKING REQUIREMENTS

THIS DOOR IS TO BE LOCKED IN THE OPEN POSITION AT ALL TIMES THE BUILDING IS OCCUPIED

THE DOOR IS TO BE LOCKED AND UNLOCKED BY MANAGEMENT ONLY

PT95
300x225mm
Plastic

GREASY WASTE SUCTION POINTS

PT96
300x225mm
Plastic

FOAM AGENT 3% AFFF 1,500 LITRE

PT97
420x300mm
Plas,S/Adh,Metal

THIS AREA IS FITTED WITH A CARBON DIOXIDE FIRE SUPPRESSION SYSTEM

EVACUATE AREA ON SOUNDING OF ALARM

DO NOT ENTER

AFTER CARBON DIOXIDE DISCHARGE UNTIL AREA HAS BEEN THOROUGHLY VENTILATED

PT98
300x450mm
Plas,S/Adh,Metal

Clear Vinyl Stickers



80mm high white letters on vinyl

BOOSTER

HYDRANT

HAZMAT

FH

BOOSTER

HYDRANT

HAZMAT

FH

Vinyl Cut Letters

MAX CLEARANCE 4.5

Black Vinyl Cut Letter
50mm Letter height

**FRAGILE
SKYLIGHTS**

Black Cut out letters
40mm letter height

**FIRE
INDICATOR
PANEL**

Black Cut out letters
50mm letter height

FIRE INDICATOR PANEL

Silver Cut out letters
50mm letter height

**SPRINKLER STOP
VALVE INSIDE**

White Cut out letters
23mm letter height

**← SPRINKLER
PUMP ROOM**

Black Cut Out Letters
35mm Letter Height

**SPRINKLER
PUMP ROOM →**

Black Cut Out Letters
35mm Letter Height

**← SPRINKLER
PUMP ROOM**

Black Cut out letters
35mm letter height

DO NOT OPEN

Green Cut out letters
22mm letter height

ENTRY

Black Cut out letters
Available in 100 & 25mm
letter height

EXIT

Black Cut Out Letters
100mm letter height

**SPRINKLER CONTROL VALVE
&
BOOSTER CONNECTION**

Black Cut out letters
50mm letter height

**KEEP CLEAR
STORAGE OF GOODS
STRICTLY PROHIBITED**

Black Cut Out Letters
50mm Letter Height

**FIRE HYDRANT
&
HOSE**

Black Cut Out Letters
75mm Letter Height

**HYDROCHLORITE
SOLUTION**

Black Cut out letters
38mm letter height

Aluminium Acid Etched Paint Filled Signs



PA1
185x185mm



PA2
380x140mm



PA3
380x140mm



PA4
300x225mm



PA5
300x225mm



PA6
300x225mm



PA7
300x225mm




PA8
300x225mm



PA9
300x225mm



PA10
300x225mm




PA11
300x225mm



PA12
300x225mm




PA13
300x225mm



PA14
300x225mm




PA15
300x225mm



PA16
300x225mm



PA17
300x225mm



PA18
370x370mm




PA19
750x300mm



PA20
650x125mm



PA21
100x50mm



BLOCK PLANS (As per your requirement)

All Hazchem Diamonds are available in 50mm x 50mm, 100mm x 100mm –Self Adhesive Vinyl
And 250x250mm - Polypropylene and Self Adhesive Vinyl

801	802	803	804	805	806	807	808	
			Also available in rolls 25x25mm – rolls of 1000 labels 50x50mm – rolls of 1000 labels 100x100mm – rolls of 500 labels		Also available in rolls 25x25mm – rolls of 1000 labels 50x50mm – rolls of 1000 labels 100x100mm – rolls of 500 labels			
809	810	811	812	813	814	815	816	
Also available in rolls 25x25mm – rolls of 1000 labels 50x50mm – rolls of 1000 labels 100x100mm – rolls of 500 labels								
817	818	819	820	821	822	823	PH46	
							Metal Hazchem Diamond Holders 250x250mm	

Hazchem Signs

PH40 600x150mm C/Bond Metal	PH41 600x300mm C/Bond Metal	PH42 - Composite Signs 600x150mm C/Bond Metal															
		HAZCHEM LETTERS															
PH43 800x400mm C/Bond Metal	PH44 800x600mm C/Bond Metal	<table border="1"> <tr> <td>3WE</td> <td>3YE</td> <td>2R</td> <td>2SE</td> <td>2IE</td> </tr> <tr> <td>2WE</td> <td>2S</td> <td>2RE</td> <td>2SE</td> <td>2ZE</td> </tr> <tr> <td>3YE</td> <td>2P</td> <td>2PE</td> <td>2TE</td> <td>2Z</td> </tr> </table>	3WE	3YE	2R	2SE	2IE	2WE	2S	2RE	2SE	2ZE	3YE	2P	2PE	2TE	2Z
3WE	3YE	2R	2SE	2IE													
2WE	2S	2RE	2SE	2ZE													
3YE	2P	2PE	2TE	2Z													
		HAZCHEM NUMBERS															
		<table border="1"> <tr> <td>1073</td> <td>1910</td> <td>2031</td> </tr> <tr> <td>1263</td> <td>1951</td> <td>2187</td> </tr> <tr> <td>1788</td> <td>1977</td> <td>1203</td> </tr> </table>	1073	1910	2031	1263	1951	2187	1788	1977	1203						
1073	1910	2031															
1263	1951	2187															
1788	1977	1203															
		PH47 Please specify numbers, these are examples S/Adh Vinyl															

All Labels are available in Self Adhesive Vinyl

PICTOGRAPHS



ST-ABE
90x30mm
150x50mm (in rolls
of 500 stickers)



ST-BE/CO₂
90x30mm
150x50mm (in rolls
of 500 stickers)



ST-WATER
90x30mm
150x50mm (in rolls
of 500 stickers)



ST-FOAM
90x30mm
150x50mm

EXTINGUISHER LABELS - NO BRAND



ABE-POWDER
600x125mm



BE-POWDER
600x125mm




CO₂ - A
295x160mm




CO₂ - B
675x140mm



CO₂ - C
295x160mm



CO₂ - D
157x157mm



ABE/BE
157x157mm




FOAM
295x160mm



AIR/WATER
295x160mm



Reconditioned Labels
450x150mm



REPLACEMENT BANDS



All Tags below are available in polypropylene .

FIRE EXTINGUISHER INSIDE	FIRE HOSE REEL SERVICE - LOCK OPEN	FIRE MAIN VALVE - LOCK OPEN	FIRE MAIN VALVE LOCK CLOSED	FIRE SERVICE TO BE OPENED BY 003 KEY	FIRE SERVICE VALVE - CLOSE ONLY TO SERVICE FIRE HOSE REELS		
TAG P-1 105 x 50mm	TAG P-2 125x25mm	TAG P-3 100x25mm	TAG P-3A 135 x 35mm	TAG P-4 135x35mm	TAG P-5 140x35mm		
FIRE HOSE REEL SERVICE - SECURE OPEN <small>(USE ONLY 003 FIRE SERVICE LOCK)</small>	FIRE MAIN VALVE SECURE OPEN <small>(USE ONLY 003 FIRE SERVICE LOCK)</small>	FIRE MAIN VALVE SECURE OPEN	FIRE SERVICE ISOLATION VALVE LOCK OPEN	FIRE SERVICE ISOLATION VALVE LOCK CLOSED	FIRE SERVICE ISOLATION VALVE NO.1		
TAG P-6 125x30mm	TAG P-7 100x40mm	TAG P-8 100x40mm	TAG P-9 100x40mm	TAG P-10 100x40mm	TAG P-11 100x35mm <small>(Available in no. 1 to 46)</small>		
FIRE SERVICE SV1	TO FIRE INDICATOR PANEL	FIRE SERVICE VALVE CLOSE OTHER	FIRE PUMP MANUAL	FIRE MODE PRESSURE SWITCH	FIRE SPRINKLERS	FIRE SPRINKLER DIESEL PUMP	FIRE SPRINKLER DIESEL PUMP NO. 1
TAG P -12 100x25mm <small>(Available in SV1 to SV10)</small>	TAG P-13 80x40mm	TAG P-14 50x50mm	TAG P-15 80x40mm	TAG P-16 80x40mm	TAG P-17 80x40mm	TAG P-18 100x40mm	TAG P-19 80x40mm <small>(Available in different numbers)</small>
FIRE SPRINKLER ELECTRIC PUMP	FIRE HYDRANT	FIRE ALARM	FIRE BRIGADE SUCTION	SPRINKLER MONITORED VALVE	SPRINKLER TEST VALVE	SPRINKLER FLOW SWITCH	
TAG P-20 100x40mm	TAG P-21 50x50mm	TAG P-22 50x50mm	TAG P-23 50x50mm	TAG P-24 75x30mm	TAG P-25 75x30mm	TAG P-26 75x30mm	
SPRINKLER FLOW SWITCH TEST VALVE LOCK CLOSED	SPRINKLER ISOLATION VALVE LOCK OPEN	SPRINKLER VALVE AT REAR OF PROPERTY	SPRINKLER REMOTE TEST LOCK SHUT	SPRINKLER REMOTE TEST VALVE LOCK CLOSED	SPRINKLER DIESEL PUMP CUT IN	SPRINKLER ELECTRIC PUMP CUT IN	
TAG P-27 75x30mm	TAG P-28 100x40mm	TAG P-29 100x40mm	TAG P-30 100x40mm	TAG P-31 75x30mm	TAG P-32 50x50mm	TAG P-33 50x50mm	
SPRINKLER BOOSTER SYSTEM	SPRINKLER PRESSURE SWITCH	SPRINKLER PUMP MOTOR SUPPLY NTBSO	SPRINKLER SYSTEM DO NOT ISOLATE	SPRINKLER HIGH RISE BOOSTER	SPRINKLER MEDIUM RISE BOOSTER	SPRINKLER LOW RISE BOOSTER	
TAG P-34 50x50mm	TAG P-35 50x50mm	TAG P-36 50x50mm	TAG P-37 125x125mm	TAG P-38 125x125mm	TAG P-39 125x125mm	TAG P-40 125x125mm	
SPRINKLER BOOSTER VALVE INSIDE	SPRINKLER BOOSTER VALVE	SPRINKLER SYSTEM SUCTION	THIS HYDRANT IS NOT SUPPLIED OFF THE BOOSTER HYDRANT SYSTEM	HYDRANT PUMP TEST LINE	HYDRANT PRESSURE		
TAG P-41 125x125mm	TAG P-42 125x125mm	TAG P-43 125x125mm	TAG P-44 120x35mm	TAG P-45 100x40mm	TAG P-46 50x50mm		

All Tags below are available in polypropylene .

HYDRANT SYSTEM PRESSURE	HYDRANT PUMP TEST VALVE NORMALLY CLOSED	HYDRANT STOP VALVE NORMALLY OPEN	HYDRANT BOOSTER VALVE	HYDRANT SYSTEM BOOSTER	HOSE REEL	HOSE REEL PUMP TEST VALVE	INSTALLATION PRESSURE	
TAG P-46A 50x50mm	TAG P-47 50x50mm	TAG P-48 50x50mm	TAG P-49 125x125mm	TAG P-50 125x125mm	TAG P-51 50x50mm	TAG P-52 50x50mm	TAG P-53 50x50mm	
INSTALLATION PRESSURE NO.1	INSTALLATION NO.1	INSTALLATION JACKING PUMP	INSTALLATION PRESSURE SWITCH	ELECTRIC PUMP PRESSURE SWITCH	DIESEL PUMP PRESSURE SWITCH	TEST LINE	DRAIN LINE	BRIGADE LINE
TAG P-54 50x50mm	TAG P-55 50x50mm <small>(Available in different numbers)</small>	TAG P-56 50x50mm	TAG P-57 50x50mm	TAG P-58 50x50mm	TAG P-59 50x50mm	TAG P-60 50x50mm	TAG P-61 50x50mm	TAG P-62 50x50mm
LOCAL ALARM LINE	TANK QUICK FILL VALVE NORMALLY CLOSED	TANK QUICK FILL VALVE NO.1	VALVE 1	ISOLATION VALVE LOCK OPEN				
TAG P-63 50x50mm	TAG P-64 100x25mm	TAG P-65 100x25mm <small>(Available in different/sequential numbers)</small>	TAG P-66 100x50mm <small>(Available in different/sequential numbers)</small>	TAG P-67 80x40mm				
ISOLATION VALVE LOCK CLOSED	TEST VALVE LOCK CLOSED	TEST VALVE NORMALLY CLOSED	NORMALLY OPEN	NORMALLY CLOSED	STOP VALVE NORMALLY CLOSED	MAIN STOP VALVE NORMALLY OPEN		
TAG P-68 80x40mm	TAG P-69 80x40mm	TAG P-70 50x50mm	TAG P-71 50x50mm	TAG P-72 50x50mm	TAG P-73 50x50mm	TAG P-74 50x50mm		
MAIN STOP VALVE NORMALLY CLOSED	DRAIN VALVE	DRAIN VALVE NORMALLY OPEN	DRAIN VALVE NORMALLY CLOSED	DRAIN VALVE LOCK CLOSED	DRAIN/ TEST VALVE LOCK CLOSED	FLOW SWITCH TEST DRAIN NORMALLY CLOSED		
TAG P-75 50x50mm	TAG P-76 50x50mm	TAG P-77 50x50mm	TAG P-78 50x50mm	TAG P-79 50x50mm	TAG P-80 50x50mm	TAG P-81 50x50mm		
FLOW SWITCH TEST VALVE LOCK OPEN	FLOW SWITCH TEST VALVE LOCK CLOSED	JACKING PUMP PRESSURE SWITCH	JACKING PUMP CUT IN	JACKING PUMP START	JACKING PUMP ISOLATING VALVE NORMALLY OPEN	JACKING PUMP NORMALLY CLOSED		
TAG P-82 50x50mm	TAG P-83 50x50mm	TAG P-84 50x50mm	TAG P-85 50x50mm	TAG P-86 50x50mm	TAG P-87 50x50mm	TAG P-88 50x50mm		
JACKING PUMP SUCTION VALVE LOCK CLOSED	JACKING PUMP DISCHARGE VALVE LOCK CLOSED	AUTO JACKING PUMP SUCTION VALVE LOCK OPEN	AUTO JACKING PUMP DO NOT SWITCH OFF	AUTO JACKING PUMP DISCHARGE VALVE LOCK OPEN				
TAG P-89 80x40mm	TAG P-90 80x40mm	TAG P-91 100x40mm	TAG P-92 100x40mm	TAG P-93 100x40mm				

All Tags below are available in polypropylene .

DIESEL PUMP PRESSURE SWITCH	DIESEL PUMP NO. 1 PRESSURE SWITCH	DIESEL PUMP START PRESSURE SWITCH	LOW PRESSURE ALARM PRESSURE SWITCH	SYSTEM OPERATED ALARM PRESSURE SWITCH	PRESSURE SWITCH TEST BOARD	ELECTRIC PUMP START PRESSURE SWITCH	
TAG P-94 80x40mm	TAG P-95 80x40mm (Available in different numbers)	TAG P-96 50x50mm	TAG P-97 50x50mm	TAG P-98 50x50mm	TAG P-99 50x50mm	TAG P-100 50x50mm	
EVACUATION PRESSURE SWITCH	DBA PRESSURE SWITCH	DIRECT BRIGADE ALARM PRESSURE SWITCH	AIR CONDITIONING SHUTDOWN PRESSURE SWITCH	PRESSURE RELIEF ISOLATING VALVE	A.S.E ALARM PRESSURE SWITCH	A.S.E ISOLATING VALVE NORMALLY OPEN	RAIN WATER PUMP
TAG P-101 50x50mm	TAG P-102 50x50mm	TAG P-103 50x50mm	TAG P-104 50x50mm	TAG P-105 50x50mm	TAG P-106 50x50mm	TAG P-107 50x50mm	TAG P-108 100x25mm
HOT WATER PLANT	COLD WATER PRESSURE PUMP	GREY WATER FUTURE POINT	HOT WATER DO NOT DISCONNECT	WINDOW DRENCHER ISOLATION VALVE	SHARED SERVICE TO BE OPENED BY 003 KEY		
TAG P-109 100x25mm	TAG P-110 100x25mm	TAG P-111 100x25mm	TAG P-112 100x25mm	TAG P-113 85x25mm	TAG P-114 65x25mm		
PULL PIN STRIKE KNOB • TO RELEASE DELUGE FIRE HOSE	DELUGE FIRE HOSE MANUAL RELEASE PULL HANDLE	LOCK OPEN	LOCAL ALARM	LOCAL ALARM LOCK OPEN	LOCAL ALARM PRESSURE SWITCH	LOCAL ALARM ISOLATING VALVE NORMALLY OPEN	
TAG P-115 105x40mm	TAG P-116 100x40mm	TAG P-117 50x50mm	TAG P-118 50x50mm	TAG P-119 80x40mm	TAG P-120 50x50mm	TAG P-121 50x50mm	
PUMP BYPASS VALVE NORMALLY OPEN	PUMP DELIVERY VALVE NORMALLY OPEN	PUMP SUCTION VALVE NORMALLY OPEN	PUMP SUCTION PRESSURE	PUMP SUCTION ISOLATION VALVE LOCK OPEN	PUMP DISCHARGE PRESSURE	PUMP DISCHARGE ISOLATION VALVE LOCK OPEN	
TAG P-122 50x50mm	TAG P-123 50x50mm	TAG P-124 50x50mm	TAG P-125 80x40mm	TAG P-126 80x40mm	TAG P-127 80x40mm	TAG P-128 80x40mm	
PUMP NO.1	PRIMARY PUMP	SECONDARY PUMP	BRIGADE TRANSPONDER ISOLATING VALVE NORMALLY OPEN	BRIGADE ALARM ISOLATION VALVE NO.	BRIGADE ALARM FLOW SWITCH	BRIGADE ALARM LOCK OPEN	TOWN MAINS PRESSURE
TAG P-129 50x50mm (Available in different numbers)	TAG P-130 80x25mm	TAG P-131 80x25mm	TAG P-132 50x50mm	TAG P-133 50x50mm	TAG P-134 80x40mm	TAG P-135 80x40mm	TAG P-136 50x50mm
TOWN MAINS VALVE NORMALLY OPEN	SWITCH ROOM EXHAUST FAN NORMALLY OPEN	PULL TO STOP DIESEL ENGINE	WASTE & TEST VALVE NORMALLY CLOSED	WASTE & TEST VALVE	MJC	MJC PROTECTED	MJC DRAIN
TAG P-137 50x50mm	TAG P-138 50x50mm	TAG P-139 50x50mm	TAG P-140 50x50mm	TAG P-141 50x50mm	TAG P-142 50x50mm	TAG P-143 50x50mm	TAG P-144 50x50mm

All Tags below are available in polypropylene .

ANUBAR DRAIN

TAG P-145
50x50mm

240V

TAG P -146
50x50mm

MANIFOLD PRESSURE

TAG P -147
50x50mm

MAXIMUM STORAGE HEIGHT

TAG P -148
50x50mm

PULL TO STOP

TAG P -149
50x50mm

MANUAL STOP

TAG P -150
50x50mm

MANUAL TANK FILL

TAG P -151
50x50mm

AIR BLEED

TAG P -152
50x50mm

MAIN STOP VALVE LOCK OPEN

TAG P -153
80x40mm

STOP VALVE LOCK OPEN

TAG P -154
80x40mm

REMOTE TEST VALVE LOCK CLOSED

TAG P -155
80x40mm

SYSTEM PRESSURE

TAG P -156
80x25mm

SUPPLY PRESSURE

TAG P -157
80x25mm

SPARE SPRINKLERS

TAG P -158
80x25mm

TEST IN PROGRESS

TAG P -159
100x85mm

ALERT

TAG P -160
100x100mm

EVACUATE

TAG P -161
100x100mm

DRENCHER SYSTEM

TAG P -162
125x125mm

DOMESTIC ISOLATING VALVE

TAG P -163
125x125mm

FIRE SERVICE ISOLATION VALVE NO.

TAG P -164
220x75mm

FIRE SERVICE ISOLATION VALVE NO. 1

TAG P -165
220x75mm

(Available in different numbers)

• **STAIR RISER**

TAG P -166
60x30mm

• **NORTHERN RISER**

TAG P -167
60x30mm

• **CENTRAL RISER**

TAG P -168
60x30mm

• **SOUTHERN RISER**

TAG P -169
60x30mm

• **MAIN WATER SUPPLY**

TAG P -170
60x30mm

• **HOT WATER SUPPLY**

TAG P -171
60x30mm

• **DOMESTIC B/U TO GREY WATER**

TAG P -172
60x30mm

• **DOMESTIC B/U TO RAINWATER**

TAG P -173
60x30mm

• **RAINWATER TO GARDEN TAPS**

TAG P -174
60x30mm

• **GREY WATER TO WC'S**

TAG P -175
60x30mm

• **RAINWATER TO WC'S**

TAG P -176
60x30mm

STORMWATER PUMP CONTROL

TAG P -177
150x40mm

RW DOMESTIC BACKUP

TAG P -178
150x40mm

RW TO GARDEN

TAG P -179
150x40mm

DOMESTIC HOT WATER SUPPLY

TAG P -180
150x40mm

DOMESTIC HOT WATER FLOW

TAG P -181
150x40mm

DOMESTIC TO RADS

TAG P -182
150x40mm

RAINWATER REUSE PUMP

TAG P -183
150x40mm

HOT WATER PLANT

TAG P -184
150x40mm

RW TO WC

TAG P -185
150x40mm

DCW TO LEVEL 4

TAG P -186
150x40mm

FIRE FIGHTING SUPPLY

TAG P -187
150x40mm

LIFT SUMP SUCTION

TAG P -188
150x40mm

CONSTANT PRESSURE PUMP

TAG P -189
150x40mm

SEWER INSPECTION SHAFT

TAG P -190
150x40mm

MAIN METER

TAG P -191
150x40mm

WEST

TAG P -192
150x40mm

EAST

TAG P -193
150x40mm

SOUTH

TAG P -194
150x40mm

KN1 COOKTOPS

TAG P -195
150x40mm
(available from KN1 to KN4)

KN1 PLANT

TAG P -196
150x40mm
(available from KN1 to KN 4)

KN2 HEATING

TAG P -197
150x40mm

**BEST QUALITY
BEST PRICES
NO ARTWORK OR
TOOLING CHARGES**

FIRE MAIN VALVE
--SECURE OPEN

TAG M-1 (100 x 40mm)

FIRE HOSE REEL
SERVICE
LOCK OPEN

TAG M-2 (100 x 40mm)

FIRE SERVICE VALVE
CLOSE ONLY TO SERVICE
FIRE HOSE REEL

TAG M-5 (100 x 40mm)

FIRE SERVICE
TO BE OPENED
BY 003 KEY

TAG M-3 (80 x 40mm)

SHARED SERVICE
TO BE OPENED
BY 003 KEY

TAG M-4 (80 x 40mm)

TAGS & RINGS
IN ALUMINIUM, BRASS
OR S/STEEL
PLEASE CONTACT US.



SAMPLE ONLY



SAMPLE ONLY

STICKERS
IN VINYL OR PAPER WITH YOUR
LOGO & COMPANY DETAILS.
PLEASE CONTACT US.

SOLD & SERVICED

by

A TO Z FIRE COMPANY

Tel.: 1800 000 000

SAMPLE ONLY

BEST QUALITY
BEST PRICES
NO ART WORK OR
TOOLING CHARGES.

Pipe Markers & Code Tapes



◀ FIRE HOSE REEL ▶

◀ LOW PRESS. AIR ▶

◀ NATURAL GAS ▶

◀ PHOSPHORIC ACID ▶

◀ HYDRAULIC FLUID ▶

◀ FIRE SPRINKLERS ▶

◀ CAUSTIC SODA ▶

◀ DIESEL FUEL ▶

FIRE

Carbon Dioxide Fire
 Combined Hydrant & Sprinkler
 Fire Alarms
 Fire Fighting Water
 Fire Foam
 Fire Halon
 Fire Hose Reel
 Fire Hydrant
 Fire Hydrant Rising Main
 Fire Hydrant Water
 Fire Protection Water
 Fire Service
 Fire Service Booster
 Fire Sprinklers
 Fire Sprinkler Booster
 Fire Sprinklers Dry
 Fire Sprinkler Water
 Fire Service Pump
 Fire Service Suction
 Pre Action Fire Sprinklers
 Sprinkler Suction
 Stage 1
 Stage 2
 Stage 3
 Tank Supply
 Queen Lane Water Supply

AIR

Compressed Air
 Dry Compressed Air
 Extraction Air
 General Purpose Air
 H.P. Instrument Air
 High Pressure Air
 Instrument Air
 L.P. Instrument Air
 Low Pressure Air
 Medical Air
 Medical Breathing Air
 Medical Suction
 Plant Air
 Relief Vent
 Return Air
 Return Air
 Scour Air
 Service Air
 Starting Air
 Supply Air
 Vacuum Air
 Vent Air

L.P. Gas kPa
 Liquid Ammonia
 Liquid Argon Liquid Chlorine
 Liquid Nitrogen Liquid Oxygen
 Medical Breathing Air
 Medical Nitrous Oxide
 Medical Oxygen
 Medical Suction
 Medical Vacuum
 Methane
 Natural Gas 100 kPa
 Natural Gas 210 kPa
 Natural Gas 7 kPa
 Natural Gas kPa
 Nitrogen
 Nitrogen Oxide
 Nitrous Oxide
 Oxygen
 Propane
 Refrigerant
 Refrigerant R12
 Refrigerant R22
 Spare Medical Gas
 Synthetic Natural Gas
 Tempered L.P. Gas kPa
 Town Gas
 UHP
 Vent

OIL

Alcohol
 Diesel Fuel
 Diesel Oil
 Engine Oil
 Fuel Oil
 Fuel Oil Supply
 Grease
 Grease Pump Out
 Heating Oil
 Hot Oil
 Hydraulic Fluid
 Hydraulic Oil
 Insul Oil Clean
 Kerosene
 Lube Oil Drain
 Lubricating Oil
 Mineral Turpentine
 Mineral Turps
 Oil
 Oil Vent
 Thinners
 Waste Oil
 White Spirit

GASES

10% Methane
 150 Butane
 3% Hydrogen
 90% Argon
 97% Nitrogen
 Acetylene
 Ammonia
 Argo Shield
 Argon
 Boiler Feed
 Carbon Dioxide
 Carbon Monoxide
 Chlorine Gas
 Gaseous Ammonia
 Gaseous Nitrogen
 Gaseous Oxygen
 Helium
 Hydrogen
 Inergen
 L.P. Gas
 L.P. Gas A5

ACID

Acid
 Acidic Solution
 Alkali
 Alum Solution
 Caustic
 Caustic Soda
 Chemical Dosing
 Chemical Effluent
 Chlorine
 Chlorine Solution
 Citric Acid
 Cyanide
 Cyanide Solution
 Detergent
 Dilute Acid
 Dilute Caustic
 Flocculent
 Hydrazine
 Hydrochloric Acid
 Lime
 Phosphate
 Phosphoric Acid
 Polyelectrolyte
 Sodium Hydroxide
 Sulphuric Acid

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 601 ACNC: 080 770 64

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



Pipe Markers & Code Tapes



◀ COLD WATER ▶

◀ HELIUM ▶

◀ EXHAUST ▶

◀ LOW PRESS STEAM ▶

◀ SLURRY ▶

◀ THINNERS ▶

WATER

Backwash
Black Water
Boiler Feed Water
Bore Water
Bore Water
Brine
Chilled Drinking Water
Chilled Water
Circulating Water
Cold Water
Cold Water Flow
Cold Water Return
Cold Water Rising Main
Condensate
Condenser Water
Cooling Water
De-Ionised Water
Deminerlised Water
Distilled Water
Domestic Cold Water
Domestic Hot Water
Domestic Water
Drain Water
Drinking Water
Effluent
E- Water Acid
E- Water Ambient Alkaline
E-Water Hot Alkaline
Feed Water
Filtered Water
Fire Fighting Water
Fire Foam
Fire Protection Water
Flusherette
Flushometer
Fresh Water
Heating Cooling Water
Heating Hot Water
Heating Water
High Pressure Hot Water
High Temperature Hot Water
Hot Water
Hot Water Flow
Hot Water Return
Lab Water

Landscaping Water
Low Temperature Hot Water
Mains Water
Make Up Water
No Potable Hot Water Return
Non Potable Cold Water
Non Potable Hot Water
Non Potable Hot Water Flow
Non Potable Water
Operating Water
Overflow
Overflow Water
Polluted Water
Potable Cold Water
Potable Hot Water
Potable Hot Water Flow
Potable Hot Water Return
Potable Water
Processed Water
Pumped Potable Water
Purified Water
Rain Water
Raw Water
Recycled Water
Return
Reverse Osmosis Water
Salt Water
Sample Water
Soft Water
Storm Water
Storm Water Rising Mains
Storm Water Over Flow
Sump Water
Supply
Suptonic Storm Water
Tempered Hot Water
Towns Main Water
Towns Water
Treated Water
Ultra Pure Water
Warm Water
Warm Water Flow
Warm Water Return
Waste Water
Water
Water Mist

STEAM

Blow Down
Boiler Feed
Exhaust
High Pressure Steam
Low Pressure Steam
Main Steam
Saturated Steam
Sealing Steam
Steam
Steam Condensate
Steam Drain
Steam Vent

ELECTRICAL

Consumer Mains
Electrical
Electrical Traced
Emergency Lighting
Fire Alarm
Sub Mains
Traffic Control

MISCELLANEOUS

Drains
Effluent
Laboratory Waste
Product
Sewage
Soil
Suction Discharge
Vent
Waste

COMMUNICATIONS

Data Transfer
Public Address
Telephones

TYPE	SIZE OF SERVICE	MAKER DIMENSIONS
L	75 MM & LARGER	400 MM X 50 MM
M	75 MM TO 50 MM	400 MM X 27 MM
Code Tape	40 MM & SMALLER	400 MM X 90 MM



PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 801 ACHN 060 770 04

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



2013

FIRE EXTINGUISHER SPARE PARTS

Product Code

Product Description

AS1851 Maintenance Date Tags (80mmx40mm)



P-DT-A

Aluminium Date Tags

P-DT-P

Polypropylene Date Tags

P-DT-S

Self Adhesive Vinyl Date Tags

P-DT-AF

Aluminium Foil Date Tags

B.A Maintenance Record Tags (95mm x 40mm)



P-DT-P

Polypropylene Date Tags

Hose Test Record Tag (80mm x 40mm)



P-HT-A

Aluminium Hose Test Record Tag



P-MTN-P

Maintenance Tag Number Punch



P-DTG-P

Date Tag Pouch



P-HTS-A

Aluminium Hose Tag Strap



P-PTG-A

Aluminium Pull Tags
PULL printed both side of the label

FIRE EXTINGUISHER SPARE PARTS

Product Code

Product Description



25mm Dia Ring 32mm Dia Ring

P-OR-25 25mm dia O Ring

P-OR-32 32mm dia O Ring



P-CNR-B 4" Brass Chain for pins with rings



P-SGP-SS Stainless Steel Spring Pins



P-SP-M Safety Pins Metal - All types



P-OKP-P OK Plastic Pin

Anti Tamper Seals



P-ATS-R Red Anti Tamper Seals

P-ATS-O Orange Anti Tamper Seals

P-ATS-B Blue Anti Tamper Seals

P-ATS-GN Green Anti Tamper Seals

P-ATS-GY Grey Anti Tamper Seals

P-ATS-Y Yellow Anti Tamper Seals

P-ATS-W White Anti Tamper Seals


PRESSURE GAUGES

Product Code

Product Description


37mm Diameter Gauges

P-37G-620	620kPa Pressure Gauge
P-37G-690	690kPa Pressure Gauge
P-37G-700	700kPa Pressure Gauge
P-37G-1000	1000kPa Pressure Gauge
P-37G-1030	1030kPa Pressure Gauge
P-37G-1034	1034kPa Pressure Gauge
P-37G-1345	1345kPa Pressure Gauge
P-37G-1350	1350kPa Pressure Gauge
P-37G-1400	1400kPa Pressure Gauge
P-37G-1500	1500kPa Pressure Gauge
P-37G-1620	1620kPa Pressure Gauge



30mm Diameter Gauges

P-30G-620	620kPa Pressure Gauge
P-30G-690	690kPa Pressure Gauge
P-30G-700	700kPa Pressure Gauge
P-30G-1000	1000kPa Pressure Gauge
P-30G-1030	1030kPa Pressure Gauge
P-30G-1034	1034kPa Pressure Gauge
P-30G-1345	1345kPa Pressure Gauge
P-30G-1350	1350kPa Pressure Gauge
P-30G-1620	1620kPa Pressure Gauge



23mm Diameter Gauges

P-23G-700	700kPa Pressure Gauge
P-23G-1000	1000kPa Pressure Gauge
P-23G-1350	1350kPa Pressure Gauge



HOSE CLIPS

Product Code

Product Description



P-HC-1

Retainer Clip Co2 Horn



P-HC-2

Retainer Hose Clip

DIP TUBES & FILLER TUBES



P-FILL

Filler Tube




P-DIP

Dip Tube/ Syphon Tube

Hoses Fire Extinguisher



HOSE FIRE EXTINGUISHER

	Product Code	Product Description
	P-CB-2.5-DP	CHUBB 2.5KG DRY POWDER
	P-CB-9-DP	CHUBB 9KG DRY POWDER
	P-CB-DP	DRY POWDER CHUBB
	P-FM	FIREMASTER 2.3KG - 4.5KG
	P-FM-9	9KG FIREMASTER DCP
	P-FG-CO	FIREGARD CO2
	P-FG-3.4 CO	HOSE FOR 3.4KG CO2 EXT/FIREGARD
	P-EG-DH	EXELGARD 2-2.3KG DCP HOSE

HOSE FIRE EXTINGUISHER

	Product Code	Product Description
	P-EG-W-DP	EXELGARD WORMALD 4.5KG - 9KG DRY POWDER
	P-QL-2.3DP	QUELL 2.3KG DRY POWDER
	P-QL-4.5DP	QUELL 4.5KG DRY POWDER
	P-QL-9DP	QUELL 9KG DRY POWDER
	P-QL-WH	QUELL WATER HOSE
	P-W-DP	WORMALD DRY POWDER
	P-W-CO	WORMALD CO2
	P-W-OLD	OLD WORMALD

SPINDLES (VALVE STEM)

	Product Code	Product Description
	S1	BM AIR WATER 9KG
	S2	Q VALVE STEM MK4 9KG
	S3	WI DCP SPINDLE
	S4	W.S. UP TO 2.1KG
	S5	C DCP 1995 ONWARDS
	S6	C DCP SERIES 90 BV
	S7	FM BV DCP WATER/FOAM
	S8	WD 9 & 4.5KG SENTRY
	S9	BM 2.3KG - 2.5KG (4.5KG OLD)
	S10	C1, 1.5 & 2.5KG ALUMINIUM DCP
	S11	C 11.4KG
	S12	Q 2KG CPF VALVE STEM

SPINDLES (VALVE STEM)

	Product Code	Product Description
	S13	EX 2.3KG DCP VALVE STEM
	S14	WD 9L AIR WATER BV
	S15	BF 9KG VALVE STEM
	S16	BF CO2 VS 3.5 & 5KG
	S17	KD 1.1-9KG
	S18	FOTON CO2
	S19	C CO2 VS CURRENT MODEL
	S20	BF VALVE STEM TO SUIT 1KG
	S21	WD (NON US) 9KG
	S22	C DCP SMALL
	S23	Q CO2 OLD

SPINDLES (VALVE STEM)

	Product Code	Product Description
	S24	Q ALUMINIUM
	S25	EX 1KG
	S26	FG 2-9KG SPRING OUTSIDE
	S27	NEW EX 9 & 4.5KG
	S28	OLD EX 9 & 4.5KG
	S29	Q CO2 NEW
	S30	KD 4.5KG - 13.6KG
	S31	FG CO2
	S32	FM ALL TYPES
	S33	CO2 ALL SIZE FS
	S34	FM CO2

SPINDLES (VALVE STEM)

	Product Code	Product Description
	S35	WD WSP
	S36	NEW SPINDLE
	S38	SCHRADER VALVE
	S39	FG FIXED NOZZLE SV2 & SV3
	S40	BFI CO2 2KG

IF YOU FIND ANY SPINDLE MISSING IN THE RANGE, PLEASE SEND THE SAMPLE, WE WILL MAKE IT FOR YOU.

SCHRADER VALVE ACCESSORIES

	S38-A	SCHRADER VALVE INSERT
	S38-B	SCHRADER VALVE OPENER
	S38-C	SCHARDER VALVE OPENER
	S38-D	SCHARDER VALVE OPENER

Fire Extinguisher Handles



FIRE EXTINGUISHER HANDLES

Product Code

Product Description



HAN-1-EX

Lower Handle (4.5KG / 9KG)



HAN-2-EX

Upper Handle (4.5KG&9KG)



HAN-3-FG

Lower Handle (2KG -9KG)



HAN-4-FG

Upper Handle (2KG -9KG)



HAN-5-C

Lower Handle (2.5KG, 4.5KG & 9 KG)



HAN-6-C

Upper Handle (2.5KG, 4.5KG & 9 KG)



HAN-7-Q

Upper Handle



HAN-8-Q

Lower Handle (4.5KG & 9 KG)



HAN-9



HAN-10



HAN-11

CO₂ Handle Wormald

HORNS

	Product Code	Product Description
	HRN-1	Wormald Conical Bakelite Horn
	HRN-2	2 KG Horn with Diffuser
	HRN-2-A	2 KG Horn without Diffuser
	HRN-3	2 KG CO2Horn with Diffuser
	HRN-3-A	2 KG CO2Horn without Diffuser
	HRN-4	Foton 2KG Hose / Horn Assembly
	HRN-5	Swivel Elbow for Chubb CO2 2 KG Extinguisher Without adaptor for older quell 2.3 KG
	HRN-6	2 KG CO2Horn
	HRN-7	2 KG CO2 Hose / Horn Assembly
	HRN-8	CO2 Horn Aluminium Powder Coated

WALL BRACKETS



Product Code	Product Description
W1	J Hook - Red Powder Coated Wall Bracket



W2-L	Powder Type - Large Wall Bracket
------	----------------------------------



W2-M	Powder Type - Medium Wall Bracket
------	-----------------------------------



W3	Co2 Pin Type Wall Bracket
----	---------------------------



W4 -L	Large Slot Wall Bracket-Heavy Duty
-------	------------------------------------



W4 -M	Medium Slot Wall Bracket-Heavy Duty
-------	-------------------------------------



W4 -S	Small Slot Wall Bracket-Heavy Duty
-------	------------------------------------



W5	Wormald Wall Bracket
----	----------------------



W6	Swordsman 'D' Head Wall Bracket
----	---------------------------------

WALL BRACKETS



Product Code	Product Description
W7	Quell 2.3 KG Wall Bracket
W8	Chubb 2.3KG Wall Bracket
W9	Air/Water 9KG Wall Bracket
W10	Wormald Wall Bracket
W11	Wall Bracket
W12	Wall Bracket
W13	Wall Bracket
W14	Wall Bracket



FIRE EXTINGUISHER BAGS

	Product Code	Product Description
	PFEB-P-9	Clear Plastic Bags 9KG UV treated
	PFEB-P-4.5	Clear Plastic Bags 4.5KG UV treated
	PFEB-R-9	Red Rexine Bags 9KG UV treated
	PFEB-R-4.5	Red Rexine Bags 4.5KG UV treated
	PFEB-R-CW-9	Red PVC thick Rexine Bags 9KG with clear window UV Treated
	PFEB-R-CW-4.5	Red PVC thick Rexine Bags 4.5KG with clear window UV Treated
	Replacement Bands	

HYDROSTATIC TEST ADAPTORS



Product Code

Product Description

P-HYD-TEST-ADSET

Full Range as a set in a Red Metal Powder Coated Box



P-HYD-TEST-AD1

Suitable for External Thread - Firemaster, Blazemaster&Exelgard



P-HYD-TEST-AD2

Suitable for Wormald(Sentry) 4.5 to 9KG & Firemaster 2.3 to 9KG



P-HYD-TEST-AD3

Suitable for 4.5KG to 13.6KG DCP Kiddie



P-HYD-TEST-AD4

Suitable for Wormald (Sentry), Firemaster 1.1KG DCP



P-HYD-TEST-AD5

Suitable for Blazemaster 1.1 to 4.5KG DCP (SV) Alum & Brass Head

HYDROSTATIC TEST ADAPTORS



Product Code
P-HYD-TEST-AD6

Product Description
Suitable for 2.5KG to 9KG BFI & Foton



Product Code
P-HYD-TEST-AD7

Product Description
Suitable for Blazemaster 4.5 to 9KG
DCP(LV) Alum & Brass Head



Product Code
P-HYD-TEST-AD8

Product Description
Suitable for Quell Aluminium Cylinder



Product Code
P-HYD-TEST-AD9

Product Description
Suitable for Quell Steel Cylinder



Product Code
P-HYD-TEST-AD10

Product Description
Suitable for Chubb Powder 4.5KG



Product Code
P-HYD-TEST-AD11

Product Description
Suitable for Exelgard Co2



Product Code
P-HYD-TEST-AD12

Product Description
Suitable for Powder Water Foam - Chubb,
Quell, Exelgard

HEAVY DUTY VEHICLE MOUNTING BRACKETS

Product Code

Product Description



VB1-4.5KG

All Mild Steel, Fabricated Zinc Plated (White)



VB2-9KG

All Mild Steel, Fabricated Zinc Plated (White)



VB3-2.3KG

All Mild Steel, Fabricated Zinc Plated (White)



VB6-4.5KG

Aluminium Clamping arrangement with metal base
high quality black powder coated
(Available with Left & Right Bolt)



VB7-9KG

Aluminium Clamping arrangement with metal base
high quality black powder coated
(Available with Left & Right Bolt)

HEAVY DUTY VEHICLE MOUNTING BRACKETS

Product Code

Product Description



VB8-4.5KG

Mild Steel, Fabricated Powder Coated 'C' Type
(Available with Left & Right Bolt)



VB9-9KG

Mild Steel, Fabricated Powder Coated 'C' Type
(Available with Left & Right Bolt)



VB10-1.5KG

Wire Clamping Arrangement Mild Steel



VB11-2.5KG

Wire Clamping Arrangement Mild Steel



VB12-4.5KG

Wire Clamping Arrangement Mild Steel

HEAVY DUTY VEHICLE MOUNTING BRACKETS

	Product Code	Product Description
	VB13-2.3/2.5KG	Wire Clamping Arrangement Mild Steel
	VB13-A-2.3/2.5KG	Mild Steel Gold Passivated Clamping Arrangement
	VB17-4.5KG	Mild Steel Gold Passivated Lever Type
	VB18-9KG	Mild Steel Gold Passivated Lever Type
	VB20	Mild Steel, Fabricated Zinc Plated (White) with web clamping
	VB21-S	Breathing Apparatus Bracket-Small
	VB22-L	Breathing Apparatus Bracket - Large
	PKS-B	Knapsack Bracket (Suitable for Rega Knapsack)

CABINETS

Product Code

Product Description

(All Sizes are in mm)



Front Glass Cabinets

Front lift up lid fitted with hasp and staple for lock (pad lock not included). Cabinets are made of Mild Steel, POWDER COATED fire red and individually packed in boxes for easy transportation.

PCAB-1 500 X 160 X 160 for 2.3/2.5KG Fire Extinguisher

PCAB-2 760 X 256 X 256 for 9KG Fire Extinguisher

PCAB-3 500X 256 X 256 for 4.5KG Fire Extinguisher

PCAB-4 600 X 256 X 256 for 4.5/9KG Fire Extinguisher



Front Door Cabinet - Acrylic Front

Front Door Cabinet with Break Glass to get the keys. Cabinets are made of Mild steel, POWDER COATED fire red, and fitted with 003 locks

PCAB-5 710 X 282 X 262 for 9KG Fire Extinguisher

PCAB-6 552 X 282 X 202 for 4.5 KG Fire Extinguisher



Night Latch Cabinets

Round Glass Panel, Mild Steel POWDER COATED fire red, fitted with 003 locks and "FIRE EXTINGUISHER" painted in white.

PCAB-7 762 X 282 X 262 for 9KG Fire Extinguisher

PCAB-8 602 X 282 X 202 for 4.5 KG Fire Extinguisher



Latch Cabinets (No Lock)

Fully Enclosed Mild Steel POWDER COATED fire red, "FIRE EXTINGUISHER" painted in white.

PCAB-7A 762 X 282 X 262 for 9KG Fire Extinguisher

PCAB-8A 602 X 282 X 202 for 4.5 KG Fire Extinguisher

CABINETS

Product Code	Product Description
---------------------	----------------------------

Manifest Cabinets

Mild Steel, POWDER COATED fire red with 003 Locks

PCAB-9	Emergency Information	600 X 500 X 150
--------	-----------------------	-----------------

PCAB-9A	Emergency information HAZMAT	600 X 500 X 150
---------	------------------------------	-----------------

Item-10, 11, 13 available in size 425 X 350 X 150

PCAB-10	Emergency Information	425 X 350 X 100
---------	-----------------------	-----------------

PCAB-11	Essential Services Log Records	425 X 350 X 100
---------	--------------------------------	-----------------

PCAB-11A	Essential Services Log Records	425 X 350 X 150
----------	--------------------------------	-----------------

PCAB-12	Emergency Information HAZMAT	425 X 350 X 100
---------	------------------------------	-----------------

PCAB-13	Safety Information	425 X 350 X 100
---------	--------------------	-----------------



PCAB-9



PCAB-9A



PCAB-10



PCAB-11



PCAB-11A



PCAB-12



PCAB-13

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 801 ACN: 060 770 04

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



CABINETS

Product Code

Product Description

(All Sizes are in mm)


Manifest Cabinets



PCAB-22

Mild Steel, POWDER COATED beige with 003 Locks

PCAB-22	Essential Services Log Books	400 x 400 x 200
---------	------------------------------	-----------------



PCAB-23

Essential Services Cabinets

PCAB-23	Essential Services Log Books	400 X 800 x 200
---------	------------------------------	-----------------



PCAB-24

Compliance/maintenance Records Cabinets

PCAB-24	Fire Safety Compliance Records	400 X 400 X 200
---------	--------------------------------	-----------------




PCAB-25

Compliance/maintenance Records Cabinets

PCAB-25	Fire Equip. Maintenance Records	425 X 350 X 100
---------	---------------------------------	-----------------

PCAB-25 is available in size 425 X 350 X 150




PCAB-14

Fire Hose Reel, Hydrant Cabinets

Mild Steel fabricated POWDER COATED fire red.

PCAB-14	Fire Hydrant & Hose	605 X 1520 X 400 With 300mm legs
---------	---------------------	-------------------------------------

CABINETS



PCAB-15 & 15A


Product Code

Product Description

Fire Hose Reel, Cabinets With or Without 003 Lock

PCAB-15	Fire Hose Reel Single Door	850 X 1065 X 330
PCAB-15A	Fire Hose Reel Single Door	850 X 1065 X 310

Available with and without Back



PCAB-15B & 15C

Fire Hose Reel, Cabinets- Latch Only (No Lock)

PCAB-15B	Fire Hose Reel Single Door	850 X 1065 X 330
PCAB-15C	Fire Hose Reel Single Door	850 X 1065 X 310

Available with and without Back



PCAB-16 & 16A

Fire Hose Reel, Cabinets

PCAB-16	Fire Hose Reel Double Door	850 X 1065 X 330
PCAB-16A	Fire Hose Reel Double Door	850 X 1065 X 310

Available with and without Back



PCAB- 45 & 45A

Fire Hose Reel, Cabinet Stand

PCAB-45	Fire Hose Reel Cabinet Stand	850 X 1065 X 330
PCAB-45A	Fire Hose Reel Cabinet Stand	850 X 1065 X 310



PCAB-17

Quad Booster & FH Cabinets

Mild Steel Fabricated POWDER COATED fire red

PCAB-17 1250 X 1700 X 500 MOUNTING STAND 300MM HEIGHT

We can supply other sizes on request depending on quantities.

CABINETS ACCESSORIES

Product Code

Product Description



P-BGH-1 Break Glass Hammer (Mild Steel Powder Coated)




P-BGH-2 Break Glass Hammer Chrome Plated



P-KEY 003 KEY



P-LOCK-P 003 Padlock Can be opened with most of the 003 keys



ITEM -42 T-Locking Handle



ITEM -43 Night Latch Lock for Cabinets



ITEM-44 Cam Lock for Cabinets

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 601 ACH: 080 770 64

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



HOSE REEL STANDS

Product Code

Product Description




ITEM-40

Key Box Break Glass Front 150 X 150 X 25 MM



ITEM -41

Fire Bucket (Galvanised and red painted)



ITEM-43A

Fire Hose Reel Mounting Stand with extention arm (Mild Steel Fabricated Powder coated)

ITEM-43B

Fire Hose Reel Mounting Stand with Straight post (Mild Steel Fabricated Powder coated) with plate base for bolting and grouting



Canopy-Powder Coated



ITEM - 44

Fire Hose Reel Mounting Stand Galvanised Steel Pipe Fabricated along with red powder coated metal sheet canopy

HYDRANT VALVE & ACCESSORIES

APPROVALS : AS 2419.2

Product Code

Product Description



Stainless Steel-Oblique Outlet CFA/MFB/BSP



POHV-CFA-SS	OBLIQUE HYDRANT VALVE-80R/G INLET X CFA OUTLET
POHV-MFB-SS	OBLIQUE HYDRANT VALVE-80R/G INLET X MFB OUTLET
POHV-BSP-SS	OBLIQUE HYDRANT VALVE-80R/G INLET X BSP OUTLET
POHV-65BSP-CFA-SS	OBLIQUE HYDRANT VALVE-65BSP INLET X CFA OUTLET
POHV-65BSP-MFB-SS	OBLIQUE HYDRANT VALVE-65BSP INLET X MFBOUTLET
POHV-65BSP-BSP-SS	OBLIQUE HYDRANT VALVE-65BSP INLET X BSP OUTLET

Stainless Steel-Right Angled Outlet NSW/SA/QRT/BSP/BI



PHV-NSW-SS	RT. ANGLED HYDRANT VALVE-80R/G INLET X NSW OUTLET
PHV-SA-SS	RT. ANGLED HYDRANT VALVE-80R/G INLET X SA OUTLET
PHV-QRT-SS	RT. ANGLED HYDRANT VALVE-80R/G INLET X QRT OUTLET
PHV-BSP-SS	RT. ANGLED HYDRANT VALVE-80R/G INLET X BSP OUTLET
PHV-BI-SS	RT. ANGLED HYDRANT VALVE-80R/G INLET X BI OUTLET
PHV-65BSP-NSW-SS	RT. ANGLED HYDRANT VALVE-65BSP INLET X NSW OUTLET
PHV-65BSP-SA-SS	RT. ANGLED HYDRANT VALVE-65BSP INLET X SA OUTLET
PHV-65BSP-QRT-SS	RT. ANGLED HYDRANT VALVE-65BSP INLET X QRT OUTLET
PHV-65BSP-BSP-SS	RT. ANGLED HYDRANT VALVE-65BSP INLET X BSP OUTLET
PHV-65BSP-BI-SS	RT. ANGLED HYDRANT VALVE-65BSP INLET X BI OUTLET

Brass -Oblique Outlet CFA/MFB/BSP



POHV-CFA-B	OBLIQUE HYDRANT VALVE-80R/G INLET X CFA OUTLET
POHV-MFB-B	OBLIQUE HYDRANT VALVE-80R/G INLET X MFB OUTLET
POHV-BSP-B	OBLIQUE HYDRANT VALVE-80R/G INLET X BSP OUTLET
POHV-65BSP-CFA-B	OBLIQUE HYDRANT VALVE-65BSP INLET X CFA OUTLET
POHV-65BSP-MFB-SS	OBLIQUE HYDRANT VALVE-65BSP INLET X MFB OUTLET
POHV-65BSP-BSP-SS	OBLIQUE HYDRANT VALVE-65BSP INLET X BSP OUTLET

***Our Brass and Steel Hydrant Valves are approved to AS:2419.2**

HYDRANT VALVE & ACCESSORIES

Product Code

Product Description

Brass-Right Angled Outlet NSW/SA/QRT/BSP/BI

PHV-NSW-B	RT. ANGLED HYDRANT VALVE-80R/G INLET X NSW OUTLET
PHV-SA-B	RT. ANGLED HYDRANT VALVE-80R/G INLET X SA OUTLET
PHV-QRT-B	RT. ANGLED HYDRANT VALVE-80R/G INLET X QRT OUTLET
PHV-BSP-B	RT. ANGLED HYDRANT VALVE-80R/G INLET X BSP OUTLET
PHV-BI-B	RT. ANGLED HYDRANT VALVE-80R/G INLET X BI OUTLET
PHV-65BSP-NSW-B	RT. ANGLED HYDRANT VALVE-65BSP INLET X NSW OUTLET
PHV-65BSP-SA-B	RT. ANGLED HYDRANT VALVE-65BSP INLET X SA OUTLET
PHV-65BSP-QRT-B	RT. ANGLED HYDRANT VALVE-65BSP INLET X QRT OUTLET
PHV-65BSP-BSP-B	RT. ANGLED HYDRANT VALVE-65BSP INLET X BSP OUTLET
PHV-65BSP-BI-B	RT. ANGLED HYDRANT VALVE- 65BSP INLET X BI OUTLET



Ned Kelly valve cover-Metallic

PVC-M	NED KELLY VALVE COVER
-------	-----------------------




Padlock

P-LOCK-P	003 Padlock Can be opened with most of the 003 keys
----------	---



Hydrant Wheel valve Lock-Plastic

PWL-P	HYDRANT WHEEL VALVE LOCK- Plastic
-------	-----------------------------------




Hydrant Wheel

PHWL	HYDRANT WHEEL
------	---------------



FIRE HOSE REEL

APPROVALS :AS/NZS 1221



Fire Hose Reels are designed to provide a reasonably accessible and controlled supply of water to combat a potential fire risk. Fire Hose Reels comply with Australian Standard AS/NZS1221. Fire Hose Reels consist of a fully extendable hose length of 36 meters, a nozzle fitted at the end of the hose enabling the operator to control the direction and flow of water to aim at the fire. Fire Hose Reel has the features of an user friendly ball valve shut off arrangement, thus enabling the maximum flow of water to the hose with just one movement of a ball valve lever, a nozzle. Easy installation by our simple wall mounting bracket.

STANDARD SPECIFICATIONS

HOSE LENGTH	: 36 METERS
HOSE DIAMETER	: 19 MM
APPROVAL	: AS/NZS 1221
MINIMUM INLET PRESSURE	: 220 kPa
TEST PRESSURE	: 1700 kPa
MAXIMUM WORKING PRESSURE	: 1000 kPa

Product Code	Product Description
PFHR-001	36m FIRE HOSE ASSEMBLY
PFHR-002	50m FIRE HOSE ASSEMBLY
PFH-36	36m,19mm HOSE ONLY
PFH-50	50m,19mm HOSE ONLY



NOZZLES

	Product Code	Product Description
	N1	Lever Ball Valve
	N3	Twist Style Brass Nozzle 19mm
	N4	Fog Nozzle 19mm
	N5	Aluminium Fog Nozzle 25mm BSP
	N6	BP-100-19mm (Brass/Plas)
	N6A	BP-100-25mm (Brass/Plas)
	N7	BP-150-38mm (Brass/Plas)
	N8	PP-100-19mm (Plas/Plas)
	N8A	PP-100-25mm (Plas/Plas)
	N9	PP-150-38mm (Plas/Plas)
	NT	Nozzle Plastic Tail Pieces (19mm, 25mm, 38mm) Male Female BSP Thread

HOSE REEL ACCESSORIES

Product Code

Product Description



HR-1

Hose Reel Guide Arm with plastic rollers



HR-2

Hose Reel Guide Arm metal red painted



HR-3

Flexible Hose Reel Guide Arm



HR-4

Aluminium Guide Arm with metal ring



HR-5

Extension Guide Arm complete with fittings



HR-6

Nozzle Holder metal zinc coated



HR-7

Retainer Clip Spring



HR-8

Hose Clamp 19mm Zinc



HR-9

Hose Reel Locking Set (3 pieces)



HR-10

Hose Reel Shaft - Brass

HOSE REEL ACCESSORIES

Product Code	Product Description
--------------	---------------------



HR-12	Nozzle Retainer Clip (Fig 7-metal)
-------	------------------------------------



HR-13	Nozzle Retainer Clip (Fig 8-metal)
-------	------------------------------------

FIRE HOSE REEL COVER (High Quality Red Rexine)



HR-14-36	Fire Hose Reel Cover for 36m Hose Reel
----------	--

HR-14-50	Fire Hose Reel Cover for 50m Hose Reel (wider)
----------	--



HR-15	Hose Reel Circlip
-------	-------------------



HR-16	Hose Reel O' Ring
-------	-------------------



HR-17	Stainless Steel Welded Rings
-------	------------------------------



HR-18	Fig.8 Plastic Rings
-------	---------------------



HR-19	Hose Reel Instruct Plate Plugs (3 set)
-------	--



FIRE SIGN

HYDRANT BOOSTERS, QUADS & FITTINGS

COMPLIES TO AS:2419.3



Product Code

Product Description

100mm R/G Dual Bottom Entry Booster- Stainless Steel 304 Grade supplied with 65mm pressure gauge caps or plugs.



PBR-BESTZ-SS BOTTOM ENTRY BOOSTER WITH ALUM STORZ INLET

PBR-BECFA-SS BOTTOM ENTRY BOOSTER WITH CFA INLET

PBR-BEMFB-SS BOTTOM ENTRY BOOSTER WITH MFB INLET

PBR-BEQRT-SS BOTTOM ENTRY BOOSTER WITH QRT INLET

PBR-BENSW-SS BOTTOM ENTRY BOOSTER WITH NSW INLET

PBR-BESA-SS BOTTOM ENTRY BOOSTER WITH SA INLET

PBR-BEBI-SS BOTTOM ENTRY BOOSTER WITH BI INLET

100mm R/G Dual Rear (Back) Entry Booster-Stainless Steel 304 Grade supplied with 65mm pressure gauge caps or plugs.



PBR-RESTZ-SS REAR ENTRY BOOSTER WITH ALUM STORZ INLET

PBR-RECFA-SS REAR ENTRY BOOSTER WITH CFA INLET

PBR-REMFB-SS REAR ENTRY BOOSTER WITH MFB INLET

PBR-REQRT-SS REAR ENTRY BOOSTER WITH QRT INLET

PBR-RENSW-SS REAR ENTRY BOOSTER WITH NSW INLET

PBR-RESA-SS REAR ENTRY BOOSTER WITH SA INLET

PBR-REBI-SS REAR ENTRY BOOSTER WITH BI INLET

150mm R/G Bottom Entry QUAD- Stainless Steel 304 Grade supplied with 65mm pressure gauge caps or plugs.



PQBR-BESTZ-SS BOTTOM ENTRY QUAD BOOSTER WITH ALUM STORZ INLET

PQBR-BECFA-SS BOTTOM ENTRY QUAD BOOSTER WITH CFA INLET

PQBR-BEMFB-SS BOTTOM ENTRY QUAD BOOSTER WITH MFB INLET

PQBR-BEQRT-SS BOTTOM ENTRY QUAD BOOSTER WITH QRT INLET

PQBR-BENSW-SS BOTTOM ENTRY QUAD BOOSTER WITH NSW INLET

PQBR-BESA-SS BOTTOM ENTRY QUAD BOOSTER WITH SA INLET

PQBR-BEBI-SS BOTTOM ENTRY QUAD BOOSTER WITH BI INLET

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 601 ACN: 080 770 04

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



HYDRANT BOOSTERS, QUADS & FITTINGS

Product Code

Product Description

80mm R/G Single Booster - Brass



PSBR-STZ-B BOOSTER WITH STORZ INLET

PSBR-CFA-B BOOSTER WITH CFA INLET

PSBR-MFB-B BOOSTER WITH MFB INLET

PSBR-QRT-B BOOSTER WITH QRT INLET

PSBR-NSW-B BOOSTER WITH NSW INLET

PSBR-SA-B BOOSTER WITH SA INLET

PSBR-BI-B BOOSTER WITH BI INLET

Roll Groove Brazing Adaptors-Copper Alloy




PBA-2½ RG-C 2½" ROLL GROOVE BRAZING ADAPTOR

PBA-3 RG-C 3" ROLL GROOVE BRAZING ADAPTOR

PBA-4 RG-C 4" ROLL GROOVE BRAZING ADAPTOR

PBA-6 RG-C 6" ROLL GROOVE BRAZING ADAPTOR




100mm Roll Grooved Bull Head Ductile Iron- Galvanised

A

PBH-4X3 RG-G 4"X3" ROLL GROOVED BULL HEAD

155mm



100mm X 80mm r/g End Run Tee Ductile Iron- Galvanised

A

B

PERT-4X3 RG-G

4"X3" ROLL GROOVED END RUN TEE 101mm 81mm

Roll Grooved 45° Elbow Ductile Iron - Galvanised

A

PEL45-2.5RG-G 2.5" ROLL GROOVED 45° ELBOW

57mm

PEL45-3RG-G 3" ROLL GROOVED 45° ELBOW

64mm

PEL45-4RG-G 4" ROLL GROOVED 45° ELBOW

76mm

PEL45-5RG-G 5" ROLL GROOVED 45° ELBOW

83mm

PEL45-6RG-G 6" ROLL GROOVED 45° ELBOW


89mm

PEL45-8RG-G 8" ROLL GROOVED 45° ELBOW

108mm

PEL45-10RG-G 10" ROLL GROOVED 45° ELBOW

121mm



PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 801 ACN: 060 770 04

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net




HYDRANT BOOSTERS, QUADS & FITTINGS

Product Code


Product Description

Roll Grooved 90° Elbow Ductile Iron - Galvanised




Product Code	Product Description	A
PEL90-2.5RG-G	2.5" ROLL GROOVED 90° ELBOW	95mm
PEL90-3RG-G	3" ROLL GROOVED 90° ELBOW	108mm
PEL90-4RG-G	4" ROLL GROOVED 90° ELBOW	127mm
PEL90-5RG-G	5" ROLL GROOVED 90° ELBOW	140mm
PEL90-6RG-G	6" ROLL GROOVED 90° ELBOW	165mm
PEL90-8RG-G	8" ROLL GROOVED 90° ELBOW	197mm
PEL90-10RG-G	10" ROLL GROOVED 90° ELBOW	229mm

Roll Groove Equal Tee Ductile Iron - Galvanised



Product Code	Product Description	A
PET-2RG-G	2" ROLL GROOVED EQUAL TEE	83mm
PET-2.5RG-G	2.5" ROLL GROOVED EQUAL TEE	95mm
PET-3RG-G	3" ROLL GROOVED EQUAL TEE	108mm
PET-4RG-G	4" ROLL GROOVED EQUAL TEE	127mm
PET-5RG-G	5" ROLL GROOVED EQUAL TEE	140mm
PET-6RG-G	6" ROLL GROOVED EQUAL TEE	165mm
PET-8RG-G	8" ROLL GROOVED EQUAL TEE	197mm
PET5-10RG-G	10" ROLL GROOVED EQUAL TEE	229mm

Roll Groove Reduced Tee Ductile Iron - Galvanised



Product Code	Product Description	A
PRT-4X2RG-G	4"X2" ROLL GROOVED REDUCED TEE	127mm
PRT-4X2.5RG-G	4"X2.5" ROLL GROOVED REDUCED TEE	127mm
PRT-4X3RG-G	4"X3" ROLL GROOVED REDUCED TEE	127mm
PRT-6X2RG-G	6"X2" ROLL GROOVED REDUCED TEE	165mm
PRT-6X2.5RG-G	6"X2.5" ROLL GROOVED REDUCED TEE	165mm
PRT-6X3RG-G	6"X3" ROLL GROOVED REDUCED TEE	165mm
PRT-6X4RG-G	6"X4" ROLL GROOVED REDUCED TEE	165mm
PRT-8X4RG-G	8"X4" ROLL GROOVED REDUCED TEE	197mm
PRT-8X6RG-G	8"X6" ROLL GROOVED REDUCED TEE	197mm

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 601 ACNC: 080 770 04

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net




HYDRANT BOOSTERS, QUADS & FITTINGS

Product Code


Product Description

Roll Groove With Bsp Outlet Tee Ductile Iron - Galvanised



Product Code	Product Description	A
PBT-2RGX1BSP-G	2" ROLL GROOVED X 1" BSP TEE	83mm
PBT-3RGX1BSP-G	3" ROLL GROOVED X 1" BSP TEE	108mm
PBT-4RGX1BSP-G	4" ROLL GROOVED X 1" BSP TEE	127mm
PBT-6RGX1BSP-G	6" ROLL GROOVED X 1" BSP TEE	165mm

Roll Groove Concentric Reducer Ductile Iron - Galvanised



Product Code	Product Description	A	B	C
PCR-2.5X2RG-G	2.5"X2" R/G CONCENTRIC REDUCER	64mm	2.5"	2"
PCR-3X2RG-G	3"X2" R/G CONCENTRIC REDUCER	64mm	3"	2"
PCR-3X2.5RG-G	3"X2.5" R/G CONCENTRIC REDUCER	64mm	3"	2.5"
PCR-4X2RG-G	4"X2" R/G CONCENTRIC REDUCER	76mm	4"	2"
PCR-4X2.5RG-G	4"X2.5" R/G CONCENTRIC REDUCER	76mm	4"	2.5"
PCR-4X3RG-G	4"X3" R/G CONCENTRIC REDUCER	76mm	4"	3"
PCR-6X2RG-G	6"X2" R/G CONCENTRIC REDUCER	102mm	6"	2"
PCR-6X2.5RG-G	6"X2.5" R/G CONCENTRIC REDUCER	102mm	6"	2.5"
PCR-6X3RG-G	6"X3" R/G CONCENTRIC REDUCER	102mm	6"	3"
PCR-6X4RG-G	6"X4" R/G CONCENTRIC REDUCER	102mm	6"	4"
PCR-8X3RG-G	8"X3" R/G CONCENTRIC REDUCER	127mm	8"	3"
PCR-8X4RG-G	8"X4" R/G CONCENTRIC REDUCER	127mm	8"	4"
PCR-8X6RG-G	8"X6" R/G CONCENTRIC REDUCER	127mm	8"	6"
PCR-10X6RG-G	10"X6" R/G CONCENTRIC REDUCER	152mm	10"	6"
PCR-10X8RG-G	10"X8" R/G CONCENTRIC REDUCER	152mm	10"	8"

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 801 ACHN 060 770 84

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net




HYDRANT BOOSTERS, QUADS & FITTINGS

Product Code


Product Description

Roll Groove Eccentric Reducer Ductile Iron - Galvanised



		A	B	C
PER-3X2RG-G	3"X2" R/G ECCENTRIC REDUCER	89mm	3"	2"
PER-4X2.5RG-G	4"X2.5" R/G ECCENTRIC REDUCER	102mm	4"	2.5"
PER-4X3RG-G	4"X3" R/G ECCENTRIC REDUCER	102mm	4"	3"
PER-6X3RG-G	6"X3" R/G ECCENTRIC REDUCER	140mm	6"	3"
PER-6X4RG-G	6"X4" R/G ECCENTRIC REDUCER	140mm	6"	4"
PER-8X4RG-G	8"X4" R/G ECCENTRIC REDUCER	215mm	8"	4"

Flange Adaptor Ductile Iron - Galvanised



		A	B	C	D
PFA-2DERG-G	2" TABLE D/E FLANGE ADAPTOR	60mm	114mm	2"	150mm
PFA-2.5DERG-G	2.5" TABLE D/E FLANGE ADAPTOR	60mm	127mm	2.5"	165mm
PFA-3DERG-G	3" TABLE D/E FLANGE ADAPTOR	60mm	146mm	3"	185mm
PFA-4DRG-G	4" TABLE D FLANGE ADAPTOR	60mm	178mm	4"	215mm
PFA-4ERG-G	4" TABLE E FLANGE ADAPTOR	60mm	178mm	2"	215mm
PFA-6ERG-G	6" TABLE E FLANGE ADAPTOR	65mm	235mm	6"	280mm
PFA-8ERG-G	8" TABLE E FLANGE ADAPTOR	85mm	292mm	8"	335mm

WYES/ BREECHES/DIVIDERS

Product Code

Product Description



UNCONTROLLED 45° WYE DIVIDERS-ALUMINIUM

PDUC-STZ-45-AL UNCONTROLLED 45° WYE DIVIDER WITH STORZ



UNCONTROLLED 90° WYE DIVIDERS-ALUMINIUM

PDUC-BSP-90-AL UNCONTROLLED 90° WYE DIVIDER WITH BSP THREADS

WYES CAN BE PROVIDED WITH ANY COMBINATION OF INLET OR OUTLET CONNECTIONS.

UNCONTROLLED 45° WYE DIVIDER-ALUMINIUM WITH (AL)ADAPTORS

PDUC-BSP-AL UNCONTROLLED 45° WYE DIVIDER WITH BSP(M) THREADS

PDUC-STZ-AL UNCONTROLLED 45° WYE DIVIDER WITH STORZ

PDUC-CFA-AL UNCONTROLLED 45° WYE DIVIDER WITH ALUMINIUM CFA

PDUC-MFB-AL UNCONTROLLED 45° WYE DIVIDER WITH ALUMINIUM MFB

PDUC-NSW-AL UNCONTROLLED 45° WYE DIVIDER WITH ALUMINIUM NSW

PDUC-QRT-AL UNCONTROLLED 45° WYE DIVIDER WITH ALUMINIUM QRT

PDUC-SA-AL UNCONTROLLED 45° WYE DIVIDER WITH ALUMINIUM SA



UNCONTROLLED 45° WYE DIVIDER-ALUMINIUM WITH (BR)ADAPTORS

PDUC-CFA(B)-AL UNCONTROLLED 45° WYE DIVIDER WITH BRASS CFA

PDUC-MFB(B)-AL UNCONTROLLED 45° WYE DIVIDER WITH BRASS MFB

PDUC-NSW(B)-AL UNCONTROLLED 45° WYE DIVIDER WITH BRASS NSW

PDUC-QRT(B)-AL UNCONTROLLED 45° WYE DIVIDER WITH BRASS QRT

PDUC-SA(B)-AL UNCONTROLLED 45° WYE DIVIDER WITH BRASS SA



CONTROLLED 45° WYE DIVIDER-ALUMINIUM WITH (AL)ADAPTORS

PDC-BSP-AL CONTROLLED 45° WYE DIVIDER WITH BSP(M) THREADS

PDC-STZ-AL CONTROLLED 45° WYE DIVIDER WITH STORZ

PDC-CFA-AL CONTROLLED 45° WYE DIVIDER WITH ALUMINIUM CFA

PDC-MFB-AL CONTROLLED 45° WYE DIVIDER WITH ALUMINIUM MFB

PDC-NSW-AL CONTROLLED 45° WYE DIVIDER WITH ALUMINIUM NSW

PDC-QRT-AL CONTROLLED 45° WYE DIVIDER WITH ALUMINIUM QRT

PDC-SA-AL CONTROLLED 45° WYE DIVIDER WITH ALUMINIUM SA



CONTROLLED 45° WYE DIVIDER-ALUMINIUM WITH (BR) ADAPTORS

PDC-CFA(B)-AL CONTROLLED 45° WYE DIVIDER WITH BRASS CFA

PDC-MFB(B)-AL CONTROLLED 45° WYE DIVIDER WITH BRASS MFB

PDC-NSW(B)-AL CONTROLLED 45° WYE DIVIDER WITH BRASS NSW

PDC-QRT(B)-AL CONTROLLED 45° WYE DIVIDER WITH BRASS QRT

PDC-SA(B)-AL CONTROLLED 45° WYE DIVIDER WITH BRASS SA



PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 801 ACHN 060 770 84

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



COUPLINGS



	Product Code	Product Description
--	--------------	---------------------

Male Coupling Tail-Brass

	P-25BSPM-25T-B	25BSP MALE X 25 GROOVED TAIL
	P-38BSPM-38T-B	38BSP MALE X 38 GROOVED TAIL
	P-50BSPM-50T-B	50BSP MALE X 50 GROOVED TAIL
BSP	P-65CFAM-32T-B	65CFA MALE X 32 GROOVED TAIL
	P-65CFAM-38T-B	65CFA MALE X 38 GROOVED TAIL
	P-65CFAM-50T-B	65CFA MALE X 50 GROOVED TAIL
CFA	P-65CFAM-65T-B	65CFA MALE X 65 GROOVED TAIL
	P-65CFAM-89T-B	65CFA MALE X 89 GROOVED TAIL
	P-65MFBM-38T-B	65MFB MALE X 38 GROOVED TAIL
MFB	P-65MFBM-50T-B	65MFB MALE X 50 GROOVED TAIL
	P-65MFBM-65T-B	65MFB MALE X 65 GROOVED TAIL
	P-65NSWM-38T-B	65NSW MALE X 38 GROOVED TAIL
NSW	P-65NSWM-50T-B	65NSW MALE X 50 GROOVED TAIL
	P-65NSWM-65T-B	65NSW MALE X 65 GROOVED TAIL
	P-65QRTM-38T-B	65QRT MALE X 38 GROOVED TAIL
QRT	P-65QRTM-65T-B	65QRT MALE X 65 GROOVED TAIL



Female Coupling Tail-Brass

	P-25BSPF-25T-B	25BSP FEMALE X 25 GROOVED TAIL
BSP	P-38BSPF-38T-B	38BSP FEMALE X 38 GROOVED TAIL
	P-65CFAF-32T-B	65CFA FEMALE X 32 GROOVED TAIL
	P-65CFAF-38T-B	65CFA FEMALE X 38 GROOVED TAIL
CFA	P-65CFAF-50T-B	65CFA FEMALE X 50 GROOVED TAIL
	P-65CFAF-65T-B	65CFA FEMALE X 65 GROOVED TAIL
	P-65CFAF-89T-B	65CFA FEMALE X 89 GROOVED TAIL
	P-65MFBF-38T-B	65MFB FEMALE X 38 GROOVED TAIL
MFB	P-65MFBF-50T-B	65MFB FEMALE X 50 GROOVED TAIL
	P-65MFBF-65T-B	65MFB FEMALE X 65 GROOVED TAIL
	P-65NSWF-38T-B	65NSW FEMALE X 38 GROOVED TAIL
NSW	P-65NSWF-50T-B	65NSW FEMALE X 50 GROOVED TAIL
	P-65NSWF-65T-B	65NSW FEMALE X 65 GROOVED TAIL
	P-65QRTF-38T-B	65QRT FEMALE X 38 GROOVED TAIL
QRT	P-65QRTF-65T-B	65QRT FEMALE X 65 GROOVED TAIL

WE SELL COUPLINGS AS COMPLETE SETS ALSO.

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 601 ACNC: 080 770 64

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



COUPLINGS



CFA

Product Code	Product Description
Male Coupling Tail - Stainless Steel	
P-65CFAM-38T-S	65CFA MALE X 38 GROOVED TAIL
P-65CFAM-65T-S	65CFA MALE X 65 GROOVED TAIL



CFA

Product Code	Product Description
Female Coupling Tail - Stainless Steel	
P-65CFAF-38T-S	65CFA MALE X 38 GROOVED TAIL
P-65CFAF-65T-S	65CFA MALE X 65 GROOVED TAIL



QRT/ SA

Product Code	Product Description
Male Coupling Tail - Aluminium	
P-65QRTM-38T-A	65QRT MALE X 38 GROOVED TAIL
P-65SAM-38T-A	65SA MALE X 38 GROOVED TAIL
P-65QRTM-65T-A	65QRT MALE X 65 GROOVED TAIL
P-65SAM-65T-A	65SA MALE X 65 GROOVED TAIL



QRT/ SA

Product Code	Product Description
Female Coupling Tail - Stainless Steel	
P-65QRTF-38T-A	65QRT FEMALE X 38 GROOVED TAIL
P-65SAF-38T-A	65SA FEMALE X 38 GROOVED TAIL
P-65QRTF-65T-A	65QRT FEMALE X 65 GROOVED TAIL
P-65SAF-65T-A	65SA FEMALE X 65 GROOVED TAIL



CFA/ MFB

Product Code	Product Description
Male Coupling Tail - Plastic	
P-65CFAM-38T-P	65CFA MALE X 38 GROOVED TAIL
P-65MFBM-38T-P	65MFB MALE X 38 GROOVED TAIL
P-65CFAM-65T-P	65CFA MALE X 65 GROOVED TAIL
P-65MFBM-65T-P	65MFB MALE X 65 GROOVED TAIL



CFA/ MFB

Product Code	Product Description
Female Coupling Tail - Plastic	
P-65CFAF-38T-P	65CFA FEMALE X 38 GROOVED TAIL
P-65MFBF-38T-P	65MFB FEMALE X 38 GROOVED TAIL
P-65CFAF-65T-P	65CFA FEMALE X 65 GROOVED TAIL
P-65MFBF-65T-P	65MFB FEMALE X 65 GROOVED TAIL

ADAPTORS

Product Code

Product Description

Male to Female Adaptors - Brass



CFA	PCFA-65M-38BSPF-B	65CFA MALE X 38 BSP FEMALE
	PCFA-65M-50BSPF-B	65CFA MALE X 50 BSP FEMALE
	PCFA-65M-65BSPF-B	65CFA MALE X 65 BSP FEMALE
	PCFA-65CFAM-65MFBF-B	65CFA MALE X 65MFB FEMALE
MFB	PMFA-65M-38BSPF-B	65MFB MALE X 38 BSP FEMALE
	PMFA-65M-50BSPF-B	65MFB MALE X 50 BSP FEMALE
	PMFA-65M-65BSPF-B	65MFB MALE X 65 BSP FEMALE
QRT	PQRA-65M-38BSPF-B	65QRT MALE X 38 BSP FEMALE
	PQRA-65M-50BSPF-B	65QRT MALE X 50 BSP FEMALE
	PQRA-65M-65BSPF-B	65QRT MALE X 65 BSP FEMALE
SA	PSAA-65M-38BSPF-B	65SA MALE X 38 BSP FEMALE
	PSAA-65M-50BSPF-B	65SA MALE X 50 BSP FEMALE
	PSAA-65M-65BSPF-B	65SA MALE X 65 BSP FEMALE

Male to Male Adaptors - Brass



CFA	PCFA-65M-38BSPM-B	65CFA MALE X 38 BSP MALE
	PCFA-65M-50BSPM-B	65CFA MALE X 50 BSP MALE
	PCFA-65M-65BSPM-B	65CFA MALE X 65 BSP MALE
MFB	PMFA-65M-38BSPM-B	65MFB MALE X 38 BSP MALE
	PMFA-65M-50BSPM-B	65MFB MALE X 50 BSP MALE
	PMFA-65M-65BSPM-B	65MFB MALE X 65 BSP MALE
QRT	PQRA-65M-38BSPM-B	65QRT MALE X 38 BSP MALE
	PQRA-65M-50BSPM-B	65QRT MALE X 50 BSP MALE
	PQRA-65M-65BSPM-B	65QRT MALE X 65 BSP MALE
SA	PSAA-65M-38BSPM-B	65SA MALE X 38 BSP MALE
	PSAA-65M-50BSPM-B	65SA MALE X 50 BSP MALE
	PSAA-65M-65BSPM-B	65SA MALE X 65 BSP MALE

ANY ADAPTOR NOT COVERED IN THIS RANGE, PLEASE LET US KNOW, WE WILL MAKE IT FOR YOU.

ADAPTORS

Product Code

Product Description

Female to Male Adaptors - Brass



CFA

PCFA-65F-19BSPM-B	65CFA FEMALE X 19 BSP MALE
PCFA-65F-25BSPM-B	65CFA FEMALE X 25 BSP MALE
PCFA-65F-32BSPM-B	65CFA FEMALE X 32 BSP MALE
PCFA-65F-38BSPM-B	65CFA FEMALE X 38 BSP MALE
PCFA-65F-50BSPM-B	65CFA FEMALE X 50 BSP MALE
PCFA-65F-65BSPM-B	65CFA FEMALE X 65 BSP MALE
PCFA-65CFAF-65MFBM-B	65 CFA FEMALE X 65MFB MALE

MFB

PMFA-65F-19BSPM-B	65MFB FEMALE X 19 BSP MALE
PMFA-65F-25BSPM-B	65MFB FEMALE X 25 BSP MALE
PMFA-65F-32BSPM-B	65MFB FEMALE X 32 BSP MALE
PMFA-65F-38BSPM-B	65MFB FEMALE X 38 BSP MALE
PMFA-65F-50BSPM-B	65MFB FEMALE X 50 BSP MALE
PMFA-65F-65BSPM-B	65MFB FEMALE X 65 BSP MALE
PMFA-65F-65CFAM-B	65MFB FEMALE X 65 CFA MALE

QRT

PQRA-65F-19BSPM-B	65QRT FEMALE X 19 BSP MALE
PQRA-65F-25BSPM-B	65QRT FEMALE X 25 BSP MALE
PQRA-65F-32BSPM-B	65QRT FEMALE X 32 BSP MALE
PQRA-65F-38BSPM-B	65QRT FEMALE X 38 BSP MALE
PQRA-65F-50BSPM-B	65QRT FEMALE X 50 BSP MALE
PQRA-65F-65BSPM-B	65QRT FEMALE X 65 BSP MALE

SA

PSAA-65F-19BSPM-B	65SA FEMALE X 19 BSP MALE
PSAA-65F-25BSPM-B	65SA FEMALE X 25 BSP MALE
PSAA-65F-32BSPM-B	65SA FEMALE X 32 BSP MALE
PSAA-65F-38BSPM-B	65SA FEMALE X 38 BSP MALE
PSAA-65F-50BSPM-B	65SA FEMALE X 50 BSP MALE
PSAA-65F-65BSPM-B	65SA FEMALE X 65 BSP MALE

ANY ADAPTOR NOT COVERED IN THIS RANGE, PLEASE LET US KNOW, WE WILL MAKE IT FOR YOU.

ADAPTORS

Product Code

Product Description

Female to Female Adaptors - Brass



CFA

PCFA-65F-19BSPF-B	65CFA FEMALE X 19 BSP FEMALE
PCFA-65F-25BSPF-B	65CFA FEMALE X 25 BSP FEMALE
PCFA-65F-32BSPF-B	65CFA FEMALE X 32 BSP FEMALE
PCFA-65F-38BSPF-B	65CFA FEMALE X 38 BSP FEMALE
PCFA-65F-50BSPF-B	65CFA FEMALE X 50 BSP FEMALE
PCFA-65F-65BSPF-B	65CFA FEMALE X 65 BSP FEMALE

MFB

PMFA-65F-19BSPF-B	65MFB FEMALE X 19 BSP FEMALE
PMFA-65F-25BSPF-B	65MFB FEMALE X 25 BSP FEMALE
PMFA-65F-32BSPF-B	65MFB FEMALE X 32 BSP FEMALE
PMFA-65F-38BSPF-B	65MFB FEMALE X 38 BSP FEMALE
PMFA-65F-50BSPF-B	65MFB FEMALE X 50 BSP FEMALE
PMFA-65F-65BSPF-B	65MFB FEMALE X 65 BSP FEMALE

QRT

PQRA-65F-19BSPF-B	65QRT FEMALE X 19 BSP FEMALE
PQRA-65F-25BSPF-B	65QRT FEMALE X 25 BSP FEMALE
PQRA-65F-32BSPF-B	65QRT FEMALE X 32 BSP FEMALE
PQRA-65F-38BSPF-B	65QRT FEMALE X 38 BSP FEMALE
PQRA-65F-50BSPF-B	65QRT FEMALE X 50 BSP FEMALE
PQRA-65F-65BSPF-B	65QRT FEMALE X 65 BSP FEMALE

SA

PSAA-65F-19BSPF-B	65SA FEMALE X 19 BSP FEMALE
PSAA-65F-25BSPF-B	65SA FEMALE X 25 BSP FEMALE
PSAA-65F-32BSPF-B	65SA FEMALE X 32 BSP FEMALE
PSAA-65F-38BSPF-B	65SA FEMALE X 38 BSP FEMALE
PSAA-65F-50BSPF-B	65SA FEMALE X 50 BSP FEMALE
PSAA-65F-65BSPF-B	65SA FEMALE X 65 BSP FEMALE

ANY ADAPTOR NOT COVERED IN THIS RANGE, PLEASE LET US KNOW, WE WILL MAKE IT FOR YOU.

ADAPTORS

Product Code

Product Description

Swivel Adaptors - Brass



CFA

PSW-65CFAF-65BSPF-B	SWIVEL 65CFA FEMALE X 65BSP FEMALE
PSW-65CFAF-65CFAF-B	SWIVEL 65CFA FEMALE X 65CFA FEMALE
PSW-65CFAF-80BSPF-B	SWIVEL 65CFA FEMALE X 80BSP FEMALE

PSW-65CFAF-65BSPM-B	SWIVEL 65CFA FEMALE X 65BSP MALE
PSW-65CFAF-80BSPM-B	SWIVEL 65CFA FEMALE X 80BSP MALE

SA

PSW-65SAF-65BSPM-B	SWIVEL 65SA FEMALE X 65BSP MALE
--------------------	---------------------------------

Female to Male Adaptors - Aluminium



QRT

PQRA-65F-38BSPM-A	65QRT FEMALE X 38 BSP MALE
PQRA-65F-50BSPM-A	65QRT FEMALE X 50 BSP MALE
PQRA-65F-65BSPM-A	65QRT FEMALE X 65 BSP MALE

SA

PSAA-65F-38BSPM-A	65SA FEMALE X 38 BSP MALE
PSAA-65F-50BSPM-A	65SA FEMALE X 50 BSP MALE
PSAA-65F-65BSPM-A	65SA FEMALE X 65 BSP MALE

Male to Female Adaptors - Aluminium



QRT

PQRA-65M-38BSPF-A	65QRT MALE X 38 BSP FEMALE
PQRA-65M-50BSPF-A	65QRT MALE X 50 BSP FEMALE
PQRA-65M-65BSPF-A	65QRT MALE X 65 BSP FEMALE

SA

PSAA-65M-38BSPF-A	65SA MALE X 38 BSP FEMALE
PSAA-65M-50BSPF-A	65SA MALE X 50 BSP FEMALE
PSAA-65M-65BSPF-A	65SA MALE X 65 BSP FEMALE

BRANCH PIPES, DIRECTORS & NOZZLES

Product Code

Product Description



BI Male to 38 BSP Male Director - Brass

PBID-65M-38BSPM-B

65BI MALE X 38 BSP MALE DIRECTOR

PBID-65M-50BSPM-B

65BI MALE X 50 BSP MALE DIRECTOR



Nozzles for Directors - Brass

PNZ-38BSPF-B

NOZZLE WITH 38 BSP FEMALE THREADS



BI Male to 38 BSP Male Director - Aluminium

PBID-65M-38BSPM-A

65BI MALE X 38 BSP MALE DIRECTOR



Nozzles for Directors - Aluminium

PNZ-38BSPF-A

NOZZLE WITH 38 BSP FEMALE THREADS



BI Male to 38 BSP Male Director - Plastic

PBID-65M-38BSPM-P

65BI MALE X 38 BSP MALE DIRECTOR



CFA Female to 38 BSP Male Director - Aluminium

PCFAD-65F-38BSPM-A

65CFA FEMALE X 38 BSP MALE DIRECTOR



CFA Female to 38 BSP Male Director - Plastic

PCFAD-65F-38BSPM-P

65CFA FEMALE X 38 BSP MALE DIRECTOR



MFB Female to 38 BSP Male Director - Plastic

PMFBD-65F-38BSPM-P

65MFB FEMALE X 38 BSP MALE DIRECTOR



QRT Female to 38 BSP Male Director - Plastic

PQRTD-65F-38BSPM-P

65QRT FEMALE X 38BSP MALE DIRECTOR

Nozzles for Directors - Plastic

PNZ-38BSPF-P

NOZZLE WITH 38 BSP FEMALE THREADS

ADAPTORS, CAPS & PLUGS

Product Code

Product Description

Swivel Adaptors - Aluminium



QRT

QRT

SA

PSW-65QF-38BSPM-A	SWIVEL 65QRT FEMALE X 38BSP MALE
PSW-65QF-50BSPM-A	SWIVEL 65QRT FEMALE X 50BSP MALE
PSW-65QF-65BSPM-A	SWIVEL 65QRT FEMALE X 65BSP MALE

PSW-65QF-38BSPF-A	SWIVEL 65QRT FEMALE X 38BSP FEMALE
PSW-65QF-50BSPF-A	SWIVEL 65QRT FEMALE X 50BSP FEMALE
PSW-65QF-65BSPF-A	SWIVEL 65QRT FEMALE X 65BSP FEMALE

PSW-65SF-38BSPM-A	SWIVEL 65SA FEMALE X 38BSP MALE
PSW-65SF-50BSPM-A	SWIVEL 65SA FEMALE X 50BSP MALE
PSW-65SF-65BSPM-A	SWIVEL 65SA FEMALE X 65BSP MALE

Caps - Brass



PNSWC-B	CAP WITH NSWTHREADS
PCFAC-B	CAP WITH CFA THREADS
PMFBC-B	CAP WITH MFB THREADS
PQRTC-B	CAP WITH QRT THREADS

Caps - Aluminium



PQRTC-A	CAP WITH QRT THREADS
---------	----------------------

Plugs - Aluminium



PSAP-A	PLUG WITH SA THREADS
PQRTP-A	PLUG WITH QRT THREADS

Caps- Plastic



PSTZC-P	CAP-STORZ
PCFAC-P	CAP WITH CFA THREADS
PMFBC-P	CAP WITH MFB THREADS
PQRTC-P	CAP WITH QRT THREADS
PNSWC-P	CAP WITH NSW THREADS

Plugs - Plastic



PCFAP-P	PLUG WITH CFA THREADS
PMFBP-P	PLUG WITH MFB THREADS
PQRTP-P	PLUG WITH QRT THREADS
PNSWP-P	PLUG WITH NSW THREADS
PSAP-P	PLUG WITH SA THREADS

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 801 ACHN: 060 770 04

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



BI Couplings, Adaptors, Caps & directors Series


Papillon

BRITISH INSTANTANEOUS (BI) COUPLINGS

APPROVAL: BS : 336



The BI Couplings form the easy and quick connection. These couplings have a double ribbed tails manufactured to BS336. The BI Couplings have a locking knob arrangement in the female portion with Stainless Steel locks, which helps to make the quick connection. These instantaneous couplings are available in Aluminium alloy, Brass/ GM, Stainless Steel



PART NUMBER	DESCRIPTION	MATERIAL
PBIC-65-38-A	2.5" Instantaneous Male & Female x 1.5" Hose tail, Delivery Coupling	ALUMINUM ALLOY
PBIC-65-45-A	2.5" Instantaneous Male & Female x 1 3/4" Hose tail, Delivery Coupling	ALUMINUM ALLOY
PBIC-65-50-A	2.5" Instantaneous Male & Female x 2" Hose tail, Delivery Coupling	ALUMINUM ALLOY
PBIC-65-65-A	2.5" Instantaneous Male & Female x 2.5" Hose tail, Delivery Coupling	ALUMINUM ALLOY
PBIC-65-38-B	2.5" Instantaneous Male & Female x 1.5" Hose tail, Delivery Coupling	BRASS / GUN METAL
PBIC-65-45-B	2.5" Instantaneous Male & Female x 1 3/4" Hose tail, Delivery Coupling	BRASS / GUN METAL
PBIC-65-50-B	2.5" Instantaneous Male & Female x 2" Hose tail, Delivery Coupling	BRASS / GUN METAL
PBIC-65-65-B	2.5" Instantaneous Male & Female x 2.5" Hose tail, Delivery Coupling	BRASS / GUN METAL
PBIC-65-38-S	2.5" Instantaneous Male & Female x 1.5" Hose tail, Delivery Coupling	STAINLESS STEEL
PBIC-65-45-S	2.5" Instantaneous Male & Female x 1 3/4" Hose tail, Delivery Coupling	STAINLESS STEEL
PBIC-65-50-S	2.5" Instantaneous Male & Female x 2" Hose tail, Delivery Coupling	STAINLESS STEEL
PBIC-65-65-S	2.5" Instantaneous Male & Female x 2.5" Hose tail, Delivery Coupling	STAINLESS STEEL

BI WASHERS & SPARES ARE AVAILABLE

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 601 ACNC: 080 770 04

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net

BRITISH INSTANTANEOUS (BI) COUPLING

APPROVALS BS:336

Product Code

Product Description



Male BI Coupling Tail- Brass / GM

PBI-65M-38T-B	65BI MALE X 38 RIBBED TAIL
PBI-65M-45T-B	65BI MALE X 45 RIBBED TAIL
PBI-65M-50T-B	65BI MALE X 50 RIBBED TAIL
PBI-65M-65T-B	65BI MALE X 65 RIBBED TAIL



Female BI Coupling Tail- Brass / GM

PBI-65F-38T-B	65BI FEMALE X 38 RIBBED TAIL
PBI-65F-45T-B	65BI FEMALE X 45 RIBBED TAIL
PBI-65F-50T-B	65BI FEMALE X 50 RIBBED TAIL
PBI-65F-65T-B	65BI FEMALE X 65 RIBBED TAIL



Male BI Coupling Tail- Stainless Steel

PBI-65F-38T-B	65BI FEMALE X 38 RIBBED TAIL
PBI-65F-45T-B	65BI FEMALE X 45 RIBBED TAIL
PBI-65F-50T-B	65BI FEMALE X 50 RIBBED TAIL
PBI-65F-65T-B	65BI FEMALE X 65 RIBBED TAIL



Female BI Coupling Tail- Stainless Steel

PBI-65F-38T-S	65BI FEMALE X 38 RIBBED TAIL
PBI-65F-45T-S	65BI FEMALE X 45 RIBBED TAIL
PBI-65F-50T-S	65BI FEMALE X 50 RIBBED TAIL
PBI-65F-65T-S	65BI FEMALE X 65 RIBBED TAIL



Male BI Coupling Tail- Aluminium

PBI-65M-38T-A	65BI MALE X 38 RIBBED TAIL
PBI-65M-45T-A	65BI MALE X 45 RIBBED TAIL
PBI-65M-50T-A	65BI MALE X 50 RIBBED TAIL
PBI-65M-65T-A	65BI MALE X 65 RIBBED TAI



Female BI Coupling Tail- Aluminium

PBI-65F-38T-A	65BI FEMALE X 38 RIBBED TAIL
PBI-65F-45T-A	65BI FEMALE X 45 RIBBED TAIL
PBI-65F-50T-A	65BI FEMALE X 50 RIBBED TAIL
PBI-65F-65T-A	65BI FEMALE X 65 RIBBED TAIL

* Our Brass and Aluminium BI Couplings are approved to BS:336

* The BI Couplings are available in Ribbed & Serrated Tails.

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 801 ACH: 060 770 84

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



BI Couplings, Adaptors, Caps & directors Series



BRITISH INSTANTANEOUS (BI) ADAPTORS & DIRECTORS

Product Code

Product Description



BI Female to BSP Male Adaptors - Brass / GM

PBIA-65F-38BSPM-B 65BI FEMALE X 38BSP MALE

PBIA-65F-50BSPM-B 65BI FEMALE X 50 BSP MALE

PBIA-65F-65BSPM-B 65BI FEMALE X 65 BSP MALE



BI Female to QRT Male Adaptor - Brass / GM

PBIA-65F-65QRTM-B 65BI FEMALE X 65 QRT MALE



BI Female to BSP Female Adaptor - Brass / GM

PBIA-65F-38BSPF-B 65BI FEMALE X 38 BSP FEMALE

PBIA-65F-50BSPF-B 65BI FEMALE X 50 BSP FEMALE

PBIA-65F-65BSPF-B 65BI FEMALE X 65 BSP FEMALE



BI Female to QRT Female Adaptor - Brass / GM

PBIA-65F-65QRTF-B 65BI FEMALE X 65 QRT FEMALE



BI Male to BSP Female Adaptors - Brass / GM

PBIA-65M-38BSPF-B 65BI MALE X 38 BSP FEMALE

PBIA-65M-50BSPF-B 65BI MALE X 50 BSP FEMALE

PBIA-65M-65BSPF-B 65BI MALE X 65 BSP FEMAL



BI Male to BSP Male Adaptors - Brass / GM

PBIA-65M-38BSPM-B 65BI MALE X 38 BSP MALE

PBIA-65M-50BSPM-B 65BI MALE X 50 BSP MALE

PBIA-65M-65BSPM-B 65BI MALE X 65 BSP MALE



BI Male to 38 BSP Male Director - Brass / GM

PBID-65M-38BSPM-B 65BI MALE X 38 BSP MALE



Nozzles for Directors - Brass / GM

PBIN-38BSPF-B NOZZLE WITH 38 BSP FEMALE THREADS

BI Couplings, Adaptors, Caps & directors Series



BRITISH INSTANTANEOUS (BI) ADAPTORS & DIRECTORS

ALL ADAPTORS ARE ALSO AVAILABLE IN STAINLESS STEEL

Product Code

Product Description

BI Female to BSP Male Adaptors - Aluminium

PBIA-65F-38BSPM-A	65BI FEMALE X 38 BSP MALE
PBIA-65F-50BSPM-A	65BI FEMALE X 50 BSP MALE
PBIA-65F-65BSPM-A	65BI FEMALE X 65 BSP MALE

BI Female to QRT Male Adaptor - Aluminium

PBIA-65F-65QRTM-A	65BI FEMALE X 65 QRT MALE
-------------------	---------------------------

BI Female to BSP Female Adaptors - Aluminium

PBIA- 65F-38BSPF-A	65BI FEMALE X 38 BSP FEMALE
PBIA-65F-50BSPF-A	65BI FEMALE X 50 BSP FEMALE
PBIA-65F-65BSPF-A	65BI FEMALE X 65 BSP FEMALE

BI Female to QRT Female Adaptor - Brass

PBIA-65F-65QRTF-B	65BI FEMALE X 65 QRT FEMALE
-------------------	-----------------------------

BI Male to BSP Female Adaptors - Aluminium

PBIA-65M-38BSPF-A	65BI MALE X 38 BSP FEMALE
PBIA-65M-50BSPF-A	65BI MALE X 50 BSP FEMALE
PBIA-65M-65BSPF-A	65BI MALE X 65 BSP FEMALE

BI Male to BSP Male Adaptors - Aluminium

PBIA-65M-38BSPM-A	65BI MALE X 38 BSP MALE
PBIA-65M-50BSPM-A	65BI MALE X 50 BSP MALE
PBIA-65M-65BSPM-A	65BI MALE X 65 BSP MALE

BI Male to 38 BSP Male Director - Aluminium

PBID-65M-38BSPM-A	65BI MALE X 38 BSP MALE
-------------------	-------------------------

Nozzles for Directors - Aluminium

PBIN-38BSPF-A	NOZZLE WITH 38 BSP FEMALE THREADS
---------------	-----------------------------------

BI Couplings, Adaptors, Caps & directors Series



BRITISH INSTANTANEOUS (BI) CAPS & PLUGS

ALL CAPS & PLUGS ARE ALSO AVAILABLE IN STAINLESS STEEL

Product Code

Product Description



BI Female Caps - Brass

PBIC-65F-B

65BI CAP



BI Male Plug- Brass

PBIP-65M-B

65BI PLUG



BI Female Caps - Aluminium

PBIC-65F-A

65BI CAP



BI Male Plug- Aluminium

PBIP-65M-A

65BI PLUG



BI Male Plug- Plastic

PBIP-65M-P

65BI PLUG

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 601 ACHN: 080 770 64

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



External Lug, Quick Connect Coupling, 1/4 Turn Quick Connect Coupling, Forestry Coupling- FORGED ALUMINIUM



FORGED ALUMINIUM, EXTERNAL LUG , QUICK CONNECT , FIRE HOSE COUPLINGS & ADAPTORS IN 38MM SIZE, FORESTRY TYPE

Product Code Product Description



PQCC-38-38 38mm Forged Aluminium External Lug, Quick Connect, Hose Coupling With Face Washer And Brass Expansion Ring, Designed To With Stand Burst Pressure Of 6200 Kpa, Suitable For 38mm Hose




PQCC-38-25 38mm x 1-3/16" hose bowl quick connect coupling, forged aluminium external lug, hose coupling with face washer and brass expansion ring, designed to with stand burst pressure of 6200 kpa, suitable for 25mm hose




PQCA-38-38-M 38mm to 1-1/2" (38mm) male BSP screw adaptor forged aluminium external lug, designed to with stand burst pressure of 6200 kpa




PQCA-38-32-M 38mm to 1-1/4" (32mm) male BSP screw adaptor forged aluminium external lug, designed to with stand burst pressure of 6200 kpa




PQCA-38-25-M 38mm to 1" (25mm) male BSP screw adaptor forged aluminium external lug, designed to with stand burst pressure of 6200 kpa




PQCA-38-25-M 38mm to 1" (25mm) male N.P.S.H.. Screw adaptor forged aluminium external lug, designed to with stand burst pressure of 6200 kpa




PQCA-38-19-M 38mm to 3/4" (19mm) male BSP screw adaptor forged aluminium external lug, designed to with stand burst pressure of 6200 kpa




PQCA-38-38-F 38mm to 1-1/2" (38mm) female BSP screw adaptor forged aluminium external lug, designed to with stand burst pressure of 6200 kpa




PQCA-38-32-F 38mm to 1-1/4" (32mm) female BSP screw adaptor forged aluminium external lug, designed to with stand burst pressure of 6200 kpa




PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 801 ACHN: 060 770 84

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



External Lug, Quick Connect Coupling, 1/4 Turn Quick Connect Coupling, Forestry Coupling- FORGED ALUMINIUM



FORGED ALUMINIUM, EXTERNAL LUG , QUICK CONNECT , FIRE HOSE COUPLINGS & ADAPTORS IN 38MM SIZE, FORESTRY TYPE

Product Code Product Description



PQCA-38-25-F
 38mm to 1" (25mm) female BSP screw adaptor forged aluminium external lug, designed to with stand burst pressure of 6200 kpa



PQCA-38-25-F
 38mm to 1" (25mm) female N.P.S.H. Screw adaptor forged aluminium external lug, designed to with stand burst pressure of 6200 kpa



PQCA-38-25-F
 38mm to 1" (25mm) female BSP screw adaptor forged aluminium external lug, designed to with stand burst pressure of 6200 kpa



PQCA-38-19-F
 38mm to 3/4" (19mm) female BSP screw adaptor forged aluminium external lug, designed to with stand burst pressure of 6200 kpa



PQC-CAP-38 38mm CAP forged aluminium external lug



PQC-RING-38 38mm Brass expansion ring suitable for 38mm coupling



PQC-RING-25 25mm Brass expansion ring suitable for 25mm coupling



PAC-RING-25 25mm Brass expansion ring suitable for 25mm coupling



PQC-RING-25 25mm Brass expansion ring suitable for 25mm coupling

Storz Couplings

The Storz Couplings have the Forged Clamping Nut. The major benefit of using the Storz couplings is that the clamp fitting is free to rotate on the tail, thus avoiding the twisting of the hose and also avoids the rotation of seal against seal.


STANDARD SPECIFICATIONS

STORZ CLAMP/NUT MATERIAL STANDARDS

OPERATING PRESSURE

ALUMINIUM ALLOY-FORGED

STORZ 25 - DIN 14301
 STORZ 52 - DIN 14321
 STORZ 65 - NEN 3374
 16 Bar (1600 kPa)



CODES	DESCRIPTION	STD	A	B	L
PSZC-25-12T	STORZ 25 X 12 TAIL COUPLING		31	12	54
PSZC-25-19T	STORZ 25 X 19 TAIL COUPLING		31	19	54
PSZC-25-25T	STORZ 25 X 25 TAIL COUPLING	DIN 14301	31	25	54
PSZC-38-19T	STORZ 38 X 19 TAIL COUPLING		52	19	90
PSZC-38-25T	STORZ 38 X 25 TAIL COUPLING		52	25	90
PSZC-38-32T	STORZ 38 X 32 TAIL COUPLING		52	32	90
PSZC-38-38T	STORZ 38 X 38 TAIL COUPLING		52	38	90
PSZC-52-25T	STORZ 52 X 25 TAIL COUPLING		66	25	90
PSZC-52-38T	STORZ 52 X 38 TAIL COUPLING		66	38	90
PSZC-52-52T	STORZ 52 X 52 TAIL COUPLING	DIN 14321	66	52	90
PSZC-65-38T	STORZ 65 X 38 TAIL COUPLING	NEN 3374	81	38	90
PSZC-65-52T	STORZ 65 X 52 TAIL COUPLING	NEN 3374	81	52	90
PSZC-65-65T	STORZ 65 X 65 TAIL COUPLING	NEN 3374	81	65	90
PSZC-65-70T	STORZ 65 X 70 TAIL COUPLING	NEN 3374	81	70	90
PSZC-75-65T	STORZ 75 X 65 TAIL COUPLING		89	65	125
PSZC-75-70T	STORZ 75 X 70 TAIL COUPLING		89	70	125
PSZC-75-75T	STORZ 75 X 75 TAIL COUPLING	DIN 14322	89	75	125
PSZC-90-90T	STORZ 90 X 90 TAIL COUPLING		106	90	160
PSZC-100-100T	STORZ 100 X 100 TAIL COUPLING		115	100	150
PSZC-125-125T	STORZ 125 X 125 TAIL COUPLING		148	125	200
PSZC-150-150T	STORZ 150 X 150 TAIL COUPLING		160	150	180

Storz Female Adaptor

The Storz Female Adaptors are used to form the easy and quickest connection from the hose Couplings to the fire fighting fittings such as branch pipes, nozzles, hydrant boosters, pumps etc.


STANDARD SPECIFICATIONS

STORZ CLAMP/NUT MATERIAL STANDARDS

OPERATING PRESSURE

ALUMINIUM ALLOY-FORGED

STORZ 25 - DIN 14306
 STORZ 52 - DIN 14307
 STORZ 65 - NEN 3374
 STORZ 75 - DIN 14308
 16 Bar (1600 kPa)



CODES	DESCRIPTION	STD	A	B
PSZA-25-1NH-F	STORZ 25 X 1" NH FEMALE		31	1" NH
PSZA-25-12BSP-F	STORZ 25 X 12 BSP FEMALE		31	12 BSP
PSZA-25-19BSP-F	STORZ 25 X 19 BSP FEMALE		31	19 BSP
PSZA-25-25BSP-F	STORZ 25 X 25 BSP FEMALE	DIN 14306	31	25 BSP
PSZA-38-38BSP-F	STORZ 38 X 38 BSP FEMALE		52	38 BSP
PSZA-52-38BSP-F	STORZ 52 X 38 BSP FEMALE		66	38 BSP
PSZA-52-52BSP-F	STORZ 52 X 52 BSP FEMALE	DIN 14307	66	52 BSP
PSZA-65-38BSP-F	STORZ 65 X 38 BSP FEMALE	NEN 3374	81	38 BSP
PSZA-65-52BSP-F	STORZ 65 X 52 BSP FEMALE	NEN 3374	81	52 BSP
PSZA-65-65BSP-F	STORZ 65 X 65 BSP FEMALE	NEN 3374	81	65 BSP
PSZA-65-2.5NH-F	STORZ 65 X 2.5" NH FEMALE	NEN 3374	81	2.5" NH
PSZA-65-CFA-F	STORZ 65 X CFA FEMALE	NEN 3374	81	CFA
PSZA-65-MFB-F	STORZ 65 X MFB FEMALE	NEN 3374	81	MFB
PSZA-65-NSW-F	STORZ 65 X NSW FEMALE	NEN 3374	81	NSW
PSZA-65-QRT-F	STORZ 65 X QRT FEMALE	NEN 3374	81	QRT
PSZA-65-SA-F	STORZ 65 X SA FEMALE	NEN 3374	81	SA
PSZA-65-BI-F	STORZ 65 X BI FEMALE	NEN 3374	81	BI
PSZA-75-52BSP-F	STORZ 75 X 52 BSP FEMALE		89	52 BSP
PSZA-75-65BSP-F	STORZ 75 X 65 BSP FEMALE	DIN 14308	89	65 BSP
PSZA-75-75BSP-F	STORZ 75 X 75 BSP FEMALE		89	75 BSP
PSZA-90-65BSP-F	STORZ 90 X 65 BSP FEMALE		106	65 BSP
PSZA-90-75BSP-F	STORZ 90 X 75 BSP FEMALE		106	75 BSP
PSZA-100-65BSP-F	STORZ 100 X 65 BSP FEMALE		115	65 BSP
PSZA-100-75BSP-F	STORZ 100 X 75 BSP FEMALE		115	75 BSP
PSZA-100-100BSP-F	STORZ 100 X 100 BSP FEMALE		115	100 BSP
PSZA-100-CFA-F	STORZ 100 X CFA FEMALE		115	CFA
PSZA-125-65BSP-F	STORZ 125 X 65 BSP FEMALE		148	65 BSP
PSZA-125-100BSP-F	STORZ 125 X 100 BSP FEMALE		148	100 BSP
PSZA-125-125BSP-F	STORZ 125 X 125 BSP FEMALE		148	125 BSP
PSZA-125-4.5NH-F	STORZ 125 X 4.5" NH FEMALE		148	4.5" NH
PSZA-125-5NH-F	STORZ 125 X 5" NH FEMALE		148	5" NH
PSZA-150-150BSP-F	STORZ 150 X 150 BSP FEMALE		160	150 BSP



STORZ SERIES

Storz Male Adaptor

The Storz Male Adaptors are used to form the easy and quickest connection from the hose couplings to the fire fighting fittings such as branch pipes, nozzles, hydrant boosters, pumps etc.


STANDARD SPECIFICATIONS

STORZ CLAMP/NUT MATERIAL STANDARDS

OPERATING PRESSURE


ALUMINIUM ALLOY-FORGED

STORZ 25 - DIN 14306
 STORZ 52 - DIN 14307
 STORZ 65 - NEN 3374
 16 Bar (1600 kPa)



SPECIAL NOTE – RIBBED STORZ MALE ADAPTORS CAN ALSO BE SUPPLIED

CODES	DESCRIPTION	STD	A	B
PSZA-25-1NH-M	STORZ 25 X 1" NH MALE		31	1" NH
PSZA-25-1NPSH-M	STORZ 25 X 1" NPSH BSP MALE		31	1" NPSH
PSZA-25-12BSP-M	STORZ 25 X 12 BSP MALE		31	12 BSP
PSZA-25-19BSP-M	STORZ 25 X 19 BSP MALE		31	19 BSP
PSZA-25-25BSP-M	STORZ 25 X 25 BSP MALE	DIN 14306	31	25 BSP
PSZA-38-25BSP-M	STORZ 38 X 25 BSP MALE		52	25 BSP
PSZA-38-38BSP-M	STORZ 38 X 38 BSP MALE		52	38 BSP
PSZA-52-38BSP-M	STORZ 52 X 38 BSP MALE		66	38 BSP
PSZA-52-52BSP-M	STORZ 52 X 52 BSP MALE	DIN 14307	66	52 BSP
PSZA-65-38BSP-M	STORZ 65 X 38 BSP MALE	NEN 3374	81	38 BSP
PSZA-65-52BSP-M	STORZ 65 X 52 BSP MALE	NEN 3374	81	52 BSP
PSZA-65-65BSP-M	STORZ 65 X 65 BSP MALE	NEN 3374	81	65 BSP
PSZA-65-2.5NH-M	STORZ 65 X 2.5" NH MALE	NEN 3374	81	2.5" NH
PSZA-65-CFA-M	STORZ 65 X CFA MALE	NEN 3374	81	CFA
PSZA-65-MFB-M	STORZ 65 X MFB MALE	NEN 3374	81	MFB
PSZA-65-NSW-M	STORZ 65 X NSW MALE	NEN 3374	81	NSW
PSZA-65-QRT-M	STORZ 65 X QRT MALE	NEN 3374	81	QRT
PSZA-65-SA-M	STORZ 65 X SA MALE	NEN 3374	81	SA
PSZA-65-BI-M	STORZ 65 X BI MALE		81	BI
PSZA-75-52BSP-M	STORZ 75 X 52 BSP MALE		89	52 BSP
PSZA-75-65BSP-M	STORZ 75 X 65 BSP MALE		89	65 BSP
PSZA-75-75BSP-M	STORZ 75 X 75 BSP MALE		89	75 BSP
PSZA-90-65BSP-M	STORZ 90 X 65 BSP MALE		106	65 BSP
PSZA-90-75BSP-M	STORZ 90 X 75 BSP MALE		106	75 BSP
PSZA-100-100BSP-M	STORZ 100 X 100 BSP MALE		115	100 BSP
PSZA-125-100BSP-M	STORZ 125 X 100 BSP MALE		148	100 BSP
PSZA-125-125BSP-M	STORZ 125 X 125 BSP MALE		148	125 BSP
PSZA-150-150BSP-M	STORZ 150 X 150 BSP MALE		160	150 BSP




Storz Reducers

The Storz to Storz Reducers are used to connect the Hoses or Fittings having different sizes. The Storz Reducers are available with Clamp Fittings on both ends, thereby enabling to connect the required reduced sizes. The seals are provided on both sides of the Storz formation.

STANDARD SPECIFICATIONS

STORZ CLAMP/NUT MATERIAL STANDARDS



ALUMINIUM ALLOY-FORGED

STORZ 52 - DIN 14341
 STORZ 52 - DIN 14341
 STORZ 65 - NEN 3374
 STORZ 75 - DIN 14342
 STORZ 100 - DIN 14343

SEAL MATERIAL NITRILE RUBBER
OPERATING PRESSURE 16 Bar (1600 kPa)

STORZ REDUCERS – SWIVEL & RIGID


CODES	DESCRIPTION	STD	LARGER END-A	LARGER END-B
PSZR-38-25	STORZ 38 X STORZ 25		52	31
PSZR-52-25	STORZ 52 X STORZ 25	DIN 14351	66	31
PSZR-52-38	STORZ 52 X STORZ 38		66	52
PSZR-65-25	STORZ 65 X STORZ 25	NEN 3374	81	31
PSZR-65-38	STORZ 65 X STORZ 38		81	52
PSZR-65-52	STORZ 65 X STORZ 52		81	66
PSZR-75-52	STORZ 75 X STORZ 52	DIN 14342	89	66
PSZR-75-65	STORZ 75 X STORZ 65		89	81
PSZR-90-65	STORZ 90 X STORZ 65		106	81
PSZR-90-75	STORZ 90 X STORZ 75		106	89
PSZR-100-75	STORZ 100 X STORZ 75		115	89
PSZR-100-90	STORZ 100 X STORZ 90		115	106
PSZR-150-100	STORZ 150 X STORZ 100		160	115
PSZR-150-125	STORZ 150 X STORZ 125		160	148

Storz Blank Caps

The Storz Blank Caps are used to close the hoses, equipments and fittings. Like Storz Couplings and Storz Adaptors, these Storz Blank Caps also form the "Quick Connection".

STANDARD SPECIFICATIONS

STORZ CLAMP/NUT MATERIAL STANDARDS



ALUMINIUM ALLOY-FORGED

STORZ 25 - DIN 14310
 STORZ 52 - DIN 14311
 STORZ 75 - DIN 14312
 STORZ 100 - DIN 14313

OPERATING PRESSURE 16 Bar (1600 kPa)

CODES	DESCRIPTION	STD	A
PSZC-25	STORZ 25 CAP	DIN 14310	31
PSZC-38	STORZ 38 CAP		52
PSZC-52	STORZ 52 CAP	DIN 14311	66
PSZC-65	STORZ 65 CAP		81
PSZC-75	STORZ 75 CAP	DIN 14312	89
PSZC-90	STORZ 90 CAP		106
PSZC-100	STORZ 100 CAP	DIN 14313	115
PSZC-125	STORZ 125 CAP		148
PSZC-150	STORZ 150 CAP		160

NIPPLES

Product Code

Product Description



PNP-1 3" BSP x 2.5" BSP NIPPLE



PNP-2 4" BSP x 2.5" BSP NIPPLE

PNP-3 4" BSP x 3" BSP NIPPLE

PNP-4 5" BSP x 2.5" BSP NIPPLE

PNP-5 5" BSP x 3" BSP NIPPLE

PNP-6 5" BSP x 4" BSP NIPPLE

PNP-7 6" BSP x 5" BSP NIPPLE

PNP-7 6" BSP x 5" BSP NIPPLE



PNP-8 5" RND x 4" BSP NIPPLE



PNP-9 5" RND x 5" BSP NIPPLE



PNP-10 6" RND x 6" BSP NIPPLE



PNP-11 6" RND x 6" BSP NIPPLE

SPANNERS

Product Code

Product Description

	Spanner-1	Brass Spanner
	Spanner-2	Brass Spanner
	Spanner-3	Brass Spanner & Hydrant Wheel Opener
	Spanner-4	1/4 Turn External Lug 38mm Coupling Spanner
	Spanner-6	Hydrant Wheel & Coupling Spanner Zinc
	Spanner-7	Hydrant Wheel Spanner Zinc
	Spanner-8	Foldable Spanner
	Spanner-9	Storz Spanner up to 65mm
	Spanner-10	Storz Spanner up to 75mm
	Spanner-11	Storz Spanner up to 150mm
	Spanner-12	Mild Steel Powder Coated Rod Spanner
	Spanner-13	Mild Steel Galvanised Plugging Bar

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 601 A/CN: 080 770 64

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



WASHERS



We have wide range of rubber Washers in different sizes and shapes.



Please specify the size and the type of Washer you require.



Flat Washers for couplings- CFA, MFB, SA, QRT



BI Coupling Washers



Storz Washers



External lug Coupling Washers



Hydrant Valve Washers



BSP Adaptors Washers



KANN Coupling Washers



Leather Washers

STRAINERS, CAPS & FITTINGS

Product Code

Product Description



P-5CA-A Coventry Adaptor Suction Point 5" Alum.

P-5CA-B Coventry Adaptor Suction Point 5" Brass/ GM



P-5TC-AWS Tank Cap Alum 5" with s/steel wire strainer

P-5TC-A Tank Cap Alum 5" without wire strainer



PSS-2.5-A Aluminium Suction Strainers with 2.5" BSP Threads

PSS-3-A Aluminium Suction Strainers with 3" BSP Threads

PSS-4-A Aluminium Suction Strainers with 4" BSP Threads

PSS-5-A Aluminium Suction Strainers with 5" BSP Threads

PSS-6-A Aluminium Suction Strainers with 6" BSP Threads

SUCTION STRAINERS CAN BE PROVIDED WITH STORZ FITTINGS



PWS-2.5-SS S/Steel wire strainer 2.5"

PWS-4-SS S/Steel wire strainer 4"

PWS-6-SS S/Steel wire strainer 6"



PS-BAS Basket Strainer to suit vertical strainers of all sizes (2.5" to 6")

PCS-S Rexine Skirt for Basket strainer

STANDPIPES

Product Code

Product Description

PSTP-CFA STANDPIPE WITH CFA OUTLET

PSTP-MFB STANDPIPE WITH MFB OUTLET

(Available with Storz adaptor)

PSTP-BSP STANDPIPE WITH BSP OUTLET

(Available with Storz adaptor)

PSTP-QRT STANDPIPE WITH QRT OUTLET

PSTP-SA STANDPIPE WITH SA OUTLET

(Available with Storz adaptor)

PSTP-BI STANDPIPE WITH BI OUTLET



RAKEHOES & STOWAWAY BREAK APART TOOLS



Product Code

Product Description

Break Apart Tools are with tough fiber glass and with threaded system with least amount of joints

Poles are made out of strong injection Fiber Glass tubing, each screw joint connection is reinforced

Main Components are:

- ◆ Main Pole 1200 mm
- ◆ Extension Pole 540 mm
- ◆ Ceiling Hook
- ◆ Broom/ Squeegee
- ◆ “D” Shovel Handle
- ◆ Shovel Head
- ◆ Rakehoe
- ◆ Stop Slow Aluminium Reflective Class 2 signs

ALL THESE PARTS CAN BE SOLD SAPERATLY

Rake Hoe are designed to for fire fighting operation such as clearing, the fuel breaks & mopping up the fire. Rake Hoe has the features of combination of two tools formed on the same sheet of metal, one side has the rake formation used for the raking the materials, the opposite side has the slightly inclined flat blade that can be used for the scraping, weeding, loosening and trimming. The speciality of Rake Hoe is that, the each raking tooth is provided with small angle thus enabling the reinforcement for individual tooth which strengthens the teeth & the life of the product. Rake Hoes are provided with Socket and Wooden Handles.

COMPLIES WITH DEFENCE REQUIREMENT

P-RKO-C	Rake Hoe with Wooden Handle
P-RKO-HA	Rake Hoe Handle-Available in 1300 mm
P-RKO-HE	Rake Hoe Head with Socket
P-RKO-HE-D	Rake Hoe Head with 1500 mm Wooden Handle

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 601 ACHN: 080 770 64

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



DRIP TROCHES

Product Code Product Description



PDTR DRIP TORCH - FIRE RED

PDTG DRIP TORCH - GREEN



PDTW WICK & WAND ASSEMBLY



PDTWK WICK

KNAPSACKS

Product Code **Product Description**



PKS-9L **KNAPSACK - 9 LITRES**



With Bracket

Without Bracket

PKS-16L **KNAPSACK - 16 LITRES Available with or without bracket**



PKS-B **Knapsack Bracket (Suitable for Rega Knapsack)**

JERRY CANS (METAL)

APPROVALS :AS2906:2001
Meets Defence Forces specifications.



PJC-20 **20 LITRES JERRY CAN GREEN**



PJC-10 **10 LITRES JERRY CAN GREEN**

10L and 20L Jerry Cans are robust fuel containers made out of pressed steel. They are designed with stamped indentations on sides serving the purpose of stiffening the side sheet metal and most importantly allowing the greater surface area for expansion and contraction of the contents with varied atmospheric conditions like heat & cold. These Jerry cans are painted with different colours, designating to contain different fuels. Jerry cans are designed with breather pipes to help smoother pouring.

FEATURES OF PAPILLON MAKE JERRY CANS

- ✓ Tested intact, resilient, reliable and corrosion resistant.
- ✓ Rust proof, Leak proof.
- ✓ Breather Pipes to help smoother pouring
- ✓ Meets Defence Forces specifications.
- ✓ Clears all drop tests and leak proof under pressure.
- ✓ No loss of integrity during Standards flame tests.
- ✓ Designed to fit Standard RV Racks.
- ✓ Available in sizes 10 and 20 Litres.

FIRE HOSE

EXCALIBUR CAVALIER CENTURION SABRE RAPIER



EXCALIBUR

EXCALIBUR is a popular choice for domestic and commercial fire fighting purposes. It is lightweight very easy to handle and quick to deploy.

EXCALIBUR can be supplied as a ready to go Fire Hose Kit, complete with a shut off nozzle and fitted couplings.

Due to Excalibur's synthetic construction it is mildew resistant and therefore maintenance free. It can be compactly stored when not in use. Excalibur comes with the 12 months full replacement warranty.

EXCALIBUR Hose is manufactured in Australia to AS2792-1992 Standard.

Features

- ✔ Can be stored wet
- ✔ High burst pressure 3500kpa
- ✔ Working pressure 1500kpa
- ✔ Mildew resistant for long life
- ✔ Many fitting available
- ✔ Low friction loss
- ✔ Versatile
- ✔ Class M



CAVALIER

In environment where chemical or toxic spills may complicate fire fighting efforts, CAVALIER Hose has a protective polyurethane cover on the jacket. It is popular choice for industrial and fire fighting purposes. Apart from being an outstanding fire hose, the CAVALIER is a versatile hose that is also suitable for many high and low pressure liquid transfer jobs. CAVALIER is a sturdy and hardwearing layflat hose that can be easily stored when not in use.

The protective polyurethane jacket can be manufactured in a variety colours, ideal for identification purpose.

Features

- ✔ Mildew resistant
- ✔ Maintenance free
- ✔ Ready for mounting
- ✔ Can be stored wet
- ✔ High abrasion resistance
- ✔ Many fittings available
- ✔ Working pressure 1500kpa
- ✔ Class M



MARKETED BY:

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 801 ACHN: 060 770 04

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net



FIRE HOSE

EXCALIBUR CAVALIER CENTURION SABRE RAPIER



CENTURION

Professional fire brigades need the highest performing layflat fire hose. CENTURION has been approved for use by the NSW Fire Brigade and the CFA, as well as the ADF (Australian Defence Force). For extreme fire fighting conditions, a high pressure (Class H) fire hose is absolutely essential. With CENTURION hose fighting on your side, you have total peace of mind.

The CENTURION layflat fire hose has been constructed with the demands of professional fire fighting units in mind. The internal tightly woven polyester jacket makes this hose suitable for high pressure pumping applications, combined with protection against abrasion and exposure to the elements.

Usually this hose is supplied in 30m lengths but longer lengths can be made up to 200m. This twill-woven fire hose is made from polyester with a synthetic rubber lining and requires no drying after use.

CENTURION hose is manufactured in Australia to AS2792-1992 and carries an approval of the Australian Army DEF 5195A 1992 standard.

Features

- ✓ Reliability
- ✓ High burst pressure 5250kPa
- ✓ Working pressure 2100kPa
- ✓ Mildew resistant
- ✓ Many fittings available
- ✓ Light and quick to deploy
- ✓ Easy storage
- ✓ Can be stored wet
- ✓ Class H



SABRE

SABRE is Crusader Hose's premium percolating fire hose. This is a layflat percolating fire hose which allows precision engineered seepage of water under pressure through the hose fabric jacket. This percolating feature forms a water barrier on the hose jacket which protects the hose against the effects of heat and glowing embers.

Sabre fire hose can be manufactured from 25mm to 102mm diameter.

Its lightweight yet sturdy construction enables fire fighters to take this hose into dense bushfires, transporting the hose in backpacks. The hose is fully synthetic thus making it mildew resistant. As a result this hose is maintenance free so no drying is required after use.

Depending on the types of fires, you can choose from 3 grades of percolation - low, medium and high.

The SABRE Hose has the Australian Standard AS2792-1992.

Features

- ✓ Mildew resistant
- ✓ Maintenance free
- ✓ Ready for mounting
- ✓ Can be stored wet
- ✓ Versatile
- ✓ Other fittings available
- ✓ Working pressure 1500kPa
- ✓ Class M



MARKETED BY:

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 001 ACNC: 080 770 04

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net

FIRE HOSE

EXCALIBUR CAVALIER CENTURION SABRE RAPIER



RAPIER

RAPIER is a popular choice for both fire brigades and industrial plant fire protection. It is a high pressure Type 3 fire hose, which is manufactured with an extruded synthetic rubber cover. This extruded cover protects the hose against abrasion and chemical damage.

The interior lining and exterior coating on the fire hose jacket is made from PVC nitrile. This extruded cover is highly chemical and abrasion resistant.

In addition to the practical protection afforded by the polymer cover, the layflat hose is protected from being stained by oils and dirt.

The RAPIER hose has the Australian Defence Force DEF 5195A Standard of approval.

Features

- ✓ Reliability
- ✓ High burst pressure 5250kPa
- ✓ Working pressure 2100kPa
- ✓ Mildew resistant for long life
- ✓ Other fittings available
- ✓ Light and quick to deploy
- ✓ Class H



Hose Type	Excalibur	Cavalier	Centurion	Sabre	Rapier
Burst Pressure	Low Medium	Medium High	High	Medium High	Medium High
Diameter	25mm - 102mm	25mm - 102mm	25mm - 102mm	25mm - 102mm	25mm - 102mm
Cover material	Polyester	PU Coating	Polyester	Percolating	PVC
Colour	White	Red/Any	White	White	Red/Any

NOTE: For OPERATION beyond stated RECOMMENDED OPERATING LIMITS, contact your Crusader distributor.

HOSE STRANGLER

Product Code

PHSTR-AL

Product Description

ALLUMINIUM HOSE STRANGLER



The Papillon Aluminium Hose Stranglers are very much user friendly. They are conveniently designed to interrupt the flow momentarily to alter hose lays, changing branches, nozzles or nozzle tips etc, all these activities can be done without shutting down the pump or water source. The synthetic soft covering is provided to prevent the damage to the hose while this Hose Strangler is in use.

MARKETED BY:

PAPILLON AUSTRALIA PTY LTD

ABN 11 814 809 801 ACHN 060 770 84

VIC Tel: (03) 9764 8200 Fax: (03) 9764 8233 e-mail: papillon@mira.net





Proudly serving Industries since 1989

Papillon Australia Pty Ltd.

ABN No. 11 814 809 611

VIC : 69 Rushdale Street, Knoxfield VIC 3180 Australia • PO Box 4177, Knox City Centre VIC 3152 Australia

Tel: +613 9764 8200 • Fax: +613 9764 8233 • E-mail: papillon@mira.net

NSW: Tel: +612 9672 6478 • Fax: + 612 9672 6479 • E-mail: papillon@mira.net

QLD: Tel: +617 3162 3403 • Fax: +617 3841 3603 • E-mail: papillon@mira.net

www.papillonaustralia.com.au

Papillon Europe Ltd

19 Rue Yves Toudic, Paris 75010 France

Tel: +33(0) 623883079 • E-mail: amrita@papilloneu.com

www.papilloneu.com

Papillon Singapore Engg Pte Ltd

5000N Marine Parade Road 21-60, Lagoon View, Singapore-449295

Tel: +(65) 96164092 • E-mail: ronnie@papillonsingaporeengg.com

www.papillonsingaporeengg.com